

---

Subject: Upp 2007.1beta2 released  
Posted by [unodgs](#) on Tue, 23 Jan 2007 08:01:36 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

- \* Default charset is now CHARSET\_UTF8
  - + DateTimeCtrl and Calendar can now be used in layout editor
  - + Core tutorial
- 

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [Ulti](#) on Tue, 23 Jan 2007 15:28:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Chinese font name now works

File Attachments

- 1) [ch\\_font\\_name.PNG](#), downloaded 1418 times
- 

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [guido](#) on Wed, 24 Jan 2007 17:10:02 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

- since chameleon refactoring, application font is grey instead of solid black.
- the xfce4 theme-engine works with or without the clearlooks work around.
- I can't create build methods: typing "GUI MT SHARED" results in an empty combo box after closing the dialog. I install upp sources in /usr/local only now, if that matters
- the debian package doesn't ever work on debian, so please include "ubuntu" in the package name, to save people from wasting time

Guido

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [mirek](#) on Wed, 24 Jan 2007 20:20:48 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks for reporting troubles (and apologies for producing them...)

guido wrote on Wed, 24 January 2007 12:10

- since chameleon refactoring, application font is grey instead of solid black.

In specific theme or for all themes?

Quote:

- the xfce4 theme-engine works with or without the clearlooks work around.

Do not quite understand this. What is "xfce4 theme-engine"?

Does this mean a bug in U++?

Quote:

- I can't create build methods: typing "GUI MT SHARED" results in an empty combo box after closing the dialog.

Main configuration? (There is no "GUI MT SHARED" in build method).

BTW, some more info about your setup?

Mirek

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [guido](#) on Wed, 24 Jan 2007 21:40:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Quote:In specific theme or for all themes?

With clearlooks and xfce4.

Quote:Do not quite understand this. What is "xfce4 theme-engine"?

Does this mean a bug in U++?

No, sorry. xfce4 desktop comes with a gtk theme-engine of its own. Wanted to highlight, the problem with menu color looks more and more like a bug in clearlooks theme-engine.

Quote:

Main configuration? (There is no "GUI MT SHARED" in build method).

Yeah, used the wrong name.

The main configuration forgets newly created configs immediately after the dialog is closed. The toolbar textbox is then empty. When pressing the build button, it falls back to "GUI".

I can launch theide-605 and then it works again. I successfully built theide-2007-b2 with it.

My guess is that it tries to write to a file under /usr/local and silently fails, when it can't due to file

permissions. But just a guess.

Quote:BTW, some more info about your setup?

Debian unstable, no GNOME desktop or KDE desktop or control-center installed, only the libraries to run the productivity apps.

Where does upp get the text color, and why would it default to grey instead of black?

Guido

---

---

**Subject: Re: Upp 2007.1beta2 released**

Posted by [fallingdutch](#) on Wed, 24 Jan 2007 21:56:24 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

guido wrote on Wed, 24 January 2007 18:10

- the debian package doesn't ever work on debian, so please include "ubuntu" in the package name, to save people from wasting time

sounds strange to me ... what does not work?

does theide run?

are the sources copied to the right place (/usr/share/upp)? Please check the /usr/share/upp/upsrsrc/ide/version.h file if it states "2007.1beta2" it is the current one what arch are you running on i386 or amd64 or anything else?

Bas

---

---

**Subject: Re: Upp 2007.1beta2 released**

Posted by [guido](#) on Wed, 24 Jan 2007 22:56:51 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Wed, 24 January 2007 22:56guido wrote on Wed, 24 January 2007 18:10

- the debian package doesn't ever work on debian, so please include "ubuntu" in the package name, to save people from wasting time

sounds strange to me ... what does not work? does theide run?

Bas

ubuntu uses glibc-2.4, debian unstable glibc-2.3.6.

any new version of glibc adds new symbols, which binaries come to depend on, when compiled against. binaries compiled with older glibc work on newer glibc, the other way around: not. There are tricks around it employed by apbuild from the autopackage project. Or the LSB sandbox. Of course this is all Linux style let's break ABIs twice a day before breakfast bollocks, proper Unices do not suffer from.

Guido

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [guido](#) on Wed, 24 Jan 2007 23:10:30 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I might as well add the exact linker error:

```
guido@Sid:~/upp_2007.1beta2_i386/data/bin$ ldd theide
./theide: /lib/tls/libc.so.6: version `GLIBC_2.4' not found (required by ./theide)
```

Guido

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [mirek](#) on Wed, 24 Jan 2007 23:20:41 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Quote:

Quote:

Main configuration? (There is no "GUI MT SHARED" in build method).

Yeah, used the wrong name.

The main configuration forgets newly created configs immediately after the dialog is closed. The toolbar textbox is then empty. When pressing the build button, it falls back to "GUI".

I can launch theide-605 and then it works again. I successfully built theide-2007-b2 with it.

My guess is that it tries to write to a file under /usr/local and silently fails, when it can't due to file permissions. But just a guess.

Well, that sounds reasonable explanation. It gets stored to the "package description" file which is inside package directory.

So if you have tried to modify main config of some package inside /usr/local, it had to fail.

Quote:

Where does upp get the text color, and why would it default to grey instead of black?

Unfortunately, I am afraid I have a clue...

The problem is that there is no function available to get that individual color in Gtk API - you have to retrieve the pointer to the whole structure. Current U++ is designed to avoid including any Gtk headers, so we have to recreate the structure (see CtrlLib/ChGtk.cpp, beginning of file... ). If layout changes between Gtk versions, we are in trouble...

Apparent solution is to start including gtk headers. But I wanted to try first....

---

---

---

**Subject: Re: Upp 2007.1beta2 released**  
Posted by [guido](#) on Thu, 25 Jan 2007 00:30:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I stopped copying sources to user directory, when I accidentally modified files all the time and needed to recover from the tarball. If the editor had undo feature on the other hand...

But more importantly, it always bothered me I had to add and set the same package config again and again for each package. Would really be helpfull, if that could be globally synced as an option. At least theide should collect and list all the package configs in use, to pick from.

About the gtk thing, if those data structures are not part of the stable ABI, they can not be used by chameleon, I'm afraid.

Can't get it from a bitmap like you do with some other colors?

Guido

---

---

**Subject: Re: Upp 2007.1beta2 released**  
Posted by [fallingdutch](#) on Thu, 25 Jan 2007 09:48:43 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

guido wrote on Thu, 25 January 2007 00:10

I might as well add the exact linker error:

```
guido@Sid:~/upp_2007.1beta2_i386/data/bin$ ldd theide
./theide: /lib/tls/libc.so.6: version `GLIBC_2.4' not found (required by ./theide)
```

Guido

have build a new one - should work on debian testing and following

could you please check it:

<http://www.fallingdutch.de/media/theide>

thank you,  
Bas

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [fallingdutch](#) on Thu, 25 Jan 2007 10:02:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

guido wrote on Thu, 25 January 2007 01:30  
I stopped copying sources to user directory, when I accidentally modified files all the time and needed to recover from the tarball. If the editor had undo feature on the other hand...

Ctrl+Z does undo

Bas

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [guido](#) on Thu, 25 Jan 2007 10:42:40 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Thu, 25 January 2007 11:02  
guido wrote on Thu, 25 January 2007 01:30  
I stopped copying sources to user directory, when I accidentally modified files all the time and needed to recover from the tarball. If the editor had undo feature on the other hand...

Ctrl+Z does undo

Bas

So why didn't you add it to the menu

Guido

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [fallingdutch](#) on Thu, 25 Jan 2007 10:50:14 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

just asked Mirek to add it to the menu

did you try the new version, Guido?

Bas

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [guido](#) on Thu, 25 Jan 2007 10:55:09 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

fallingdutch wrote on Thu, 25 January 2007 10:48  
guido wrote on Thu, 25 January 2007 00:10  
I might as well add the exact linker error:

guido@Sid:~/upp\_2007.1beta2\_i386/data/bin\$ ldd theide  
.theide: /lib/tls/libc.so.6: version `GLIBC\_2.4' not found (required by ./theide)

Guido

have build a new one - should work on debian testing and following

could you please check it:  
<http://www.fallingdutch.de/media/theide>

thank you,  
Bas

Yes, that works. Great, thank you!

Guido

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [fallingdutch](#) on Thu, 25 Jan 2007 10:57:07 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

guido wrote on Thu, 25 January 2007 11:55  
Yes, that works. Great, thank you!  
Guido

You are welcome,

will create the upcoming packages that way,  
Bas

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [guido](#) on Thu, 25 Jan 2007 11:10:52 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Quote: The problem is that there is no function available to get that individual color in Gtk API - you have to retrieve the pointer to the whole structure. Current U++ is designed to avoid including any Gtk headers, so we have to recreate the structure (see CtrlLib/ChGtk.cpp, beginning of file... Sad ). If layout changes between Gtk versions, we are in trouble...

Tried to get the hang of it last night.

So I started to replace some pointer arithmetics with proper data structures, to make things a bit less obfuscated.

Didn't understand how you calculated the style offset, as the data we are interested in starts right at offset 0.

'Twas late at night. For lack of familiarity with the upp::Draw properties and chameleon properties (paper,face ...) I didn't get farther than this:

```
struct G_color { dword _; word r, g, b; };

enum { G_STATE_NORMAL, G_STATE_ACTIVE, G_STATE_PRELIGHT,
G_STATE_SELECTED, G_STATE_INSENSITIVE };

// G_STATE_NORMAL -> CTRL_NORMAL
// G_STATE_PRELIGHT -> CTRL_HOT
// G_STATE_ACTIVE -> CTRL_PRESSED
// G_STATE_SELECTED -> ???
// G_STATE_INSENSITIVE -> CTRL_DISABLED

struct G_style {
    G_Color fg[5];
    G_Color bg[5];
    G_Color light[5];
    G_Color dark[5];
    G_Color mid[5];
    G_Color text[5];
    G_Color base[5];
    G_Color text_aa[5]; /* Halfway between text/base */

    G_Color black;
    G_Color white;
};
```

I concluded, if I knew how things mapped to upp, I could have done it. But I must have overlooked something, if you couldn't get it done, I suppose.

Guido

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [mirek](#) on Thu, 25 Jan 2007 11:20:58 GMT

guido wrote on Thu, 25 January 2007 05:42

So why didn't you add it to the menu

Guido

OK, it is there now

However, "menu/toolbar in a row" option grew toolbar a bit too wide (with two more icons), so I have decided to not present Edit icons (undo/redo/copy/paste/cut) in toolbar when option is active. In fact, on my notebook with 1024 wide screen it was already too wide anyway, so that is one more problem solved. (I think most people do not use toolbar buttons for copy/cut/paste anyway).

Mirek

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [mirek](#) on Thu, 25 Jan 2007 11:28:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

guido wrote on Thu, 25 January 2007 06:10

Didn't understand how you calculated the style offset, as the data we are interested in starts right at offset 0.

I am afraid this is not correct. The structure we are interested in is GtkStyle. While API docs list is as if offset is 0, in .h there is:

```
struct _GtkStyle
{
    GObject parent_instance;

/*< public >*/

    GdkColor fg[5];
    GdkColor bg[5];
    GdkColor light[5];
    GdkColor dark[5];
    GdkColor mid[5];
    GdkColor text[5];
    GdkColor base[5];
    GdkColor text_aa[5]; /* Halfway between text/base */

    GdkColor black;
    GdkColor white;
```

```

PangoFontDescription *font_desc;

gint xthickness;
gint ythickness;

GdkGC *fg_gc[5];
GdkGC *bg_gc[5];
GdkGC *light_gc[5];
GdkGC *dark_gc[5];
GdkGC *mid_gc[5];
GdkGC *text_gc[5];
GdkGC *base_gc[5];
GdkGC *text_aa_gc[5];
GdkGC *black_gc;
GdkGC *white_gc;

GdkPixmap *bgPixmap[5];

/*< private >/

gint attach_count;

gint depth;
GdkColormap *colormap;
GdkFont *private_font;
PangoFontDescription *private_font_desc; /* Font description for style->private_font or %NULL */

/* the RcStyle from which this style was created */
GtkRcStyle *rc_style;

GSList *styles; /* of type GtkStyle* */
GArray *property_cache;
GSList *icon_factories; /* of type GtkIconFactory* */
};


```

I agree that introducing fixed offset is too fragile solution. I am afraid that only correct way is to include gtk headers. Very unhappy about that...

(Alternative solution would be to check gtk version and have table of offsets.... but that is quite fragile as well).

Mirek

---



---

Subject: Re: Upp 2007.1beta2 released

Posted by [lundman](#) on Fri, 26 Jan 2007 01:32:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Compiles ide on OsX without any troubles (Universal) and running 701b2 ide compiles my client without troubles.

For those wanting to do Universal, the "ar" in OsX is the Gnu ar and can not handle fat files. One could change up to use "libtool files.o -o output", but I simply replaced "ar" with an sh script that calls libtool instead.

The rest works fine after setting Build Envrioment, and hacking in Link Options. (go on! add link options to Build Environment!)

Another note, work OsX lease was up, so the dual PPC was replaced with dual Intel. But I still have access to make sure PPC runs.

---

---

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [piotr5](#) on Fri, 26 Jan 2007 10:09:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

dear lundman, did you ever try to compile this new upp-version in an optimized non-blitz-version within itself on your dual intel? I still get my compilation stuck (mostly during linking) on my dual amd(athlon).

did anyone manage to reproduce this? just compile the new ide, start it, and try to re-compile the same version in the new program with hydra-threads set to 2 (an option accessible in the ide-settings), of course on a dual-processor system. just be careful: compiling ide/Help.cpp does take up 250-270Mb for me, so you'd better have more than 400Mb free, or compile that file first...

---

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [lundman](#) on Fri, 26 Jan 2007 12:20:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Yes, I can.. I used the .dmg version I made to build 701b2, then 701b2 to build 701b2. Has to be "Shared Libs" not static. It was blitzing last I looked, but generally makes little difference.

---

---

Subject: Re: Upp 2007.1beta2 released  
Posted by [piotr5](#) on Mon, 29 Jan 2007 10:15:20 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Thanks. another bug I found is that single-file packages don't get linked into a lib, even though the final link-command does expect \*.a instead of \*.o. but this bug is also present in older versions and I simply ignored it...

but back to the hydra-problem: I tried to debug the "waiting", and it turned out that waitpid did keep returning -1 to indicate an error (errno 10, "child does not exist" or something) while Web/sproc.cpp did interprete this as "child hasn't exited yes".

the debug-session did look like this:

GNU gdb 2003-02-03-cvs

```
...
Console::Wait() (this=0xbfffebb8)
  at /home/p/upp/ups/upp-ups/ide/Console.cpp:252
252 for(;;) {
(gdb)
253 ProcessEvents();
(gdb)
254 switch(Flush()) {
(gdb)
256 case 0: sleep = min(sleep + 5, 20); break;
(gdb)
259 Ctrl::GuiSleep(sleep);
(gdb)
252 for(;;) {
(gdb)
253 ProcessEvents();
(gdb)
254 switch(Flush()) {
(gdb) s
Console::Flush() (this=0xbfffebb8)
  at /home/p/upp/ups/upp-ups/ide/Console.cpp:67
67 bool done_output = false;
(gdb) n
...
85 for(int i = 0; i < processes.GetCount(); i++) {
(gdb)
86 Slot& slot = processes[i];
(gdb)
87 if(!slot.process)
(gdb)
```

```

88 continue;
(gdb)
85 for(int i = 0; i < processes.GetCount(); i++) {
(gdb)
86 Slot& slot = processes[i];
(gdb)
87 if(!slot.process)
(gdb)
89 String s;
(gdb)
90 slot.process->Read(s);
(gdb)
91 if(!s.IsNull()) {
(gdb)
104 if(!slot.process->IsRunning()) {
(gdb) s
Upp::One<Upp::SlaveProcess>::operator->() (this=0x886d490)
  at /home/p/upp/uvls/upp-uvls/Core/Other.h:30
30 T      *operator->()          { ChkP();}

...
Upp::LocalSlaveProcess::IsRunning() (this=0x94c5e80)
  at /home/p/upp/uvls/upp-uvls/Web/sproc.cpp:358
358 if(!pid || !s.IsNull(exit_code)) {
(gdb) n
362 int status = 0, wp;
(gdb)
363 if((wp = waitpid(pid, &status, WNOHANG | WUNTRACED)) != pid ||
!DecodeExitCode(status))
(gdb) s
364 return true;
(gdb) p wp
$1 = -1
(gdb) p status
$2 = 0
(gdb) p pid
$3 = 905
(gdb) n
368 }
(gdb)
Console::Flush() (this=0xbfffeebb8)
  at /home/p/upp/uvls/upp-uvls/ide/Console.cpp:114
114 running = true;
(gdb) n
85 for(int i = 0; i < processes.GetCount(); i++) {
(gdb) p processes
$4 = {<MoveableAndDeepCopyOption<Upp::Array<Console::Slot>,Upp::EmptyClass> =
{<Moveable<Upp::Array<Console::Slot>,Upp::DeepCopyOption<Upp::Array<Console::Slot>,
Upp::EmptyClass> >> = {<DeepCopyOption<Upp::Array<Console::Slot>,Upp::EmptyClass> =

```

```

{<EmptyClass> = {<No data fields>}, <No data fields>}, <No data fields>}, <No data fields>},
  vector = {<MoveableAndDeepCopyOption<Upp::Vector<void*>,Upp::EmptyClass>> =
{<Moveable<Upp::Vector<void*>,Upp::DeepCopyOption<Upp::Vector<void*>, Upp::EmptyClass>
>> = {<DeepCopyOption<Upp::Vector<void*>,Upp::EmptyClass>> = {<EmptyClass> = {<No data
fields>}, <No data fields>}, <No data fields>}, <No data fields>},
  vector = 0x886d480, items = 2, alloc = 2}}
(gdb) p processes[0]
$5 = (Slot &) @0x8815b80: {
  process =
{<MoveableAndDeepCopyOption<Upp::One<Upp::SlaveProcess>,Upp::EmptyClass>> =
{<Moveable<Upp::One<Upp::SlaveProcess>,Upp::DeepCopyOption<Upp::One<Upp::SlaveProce
ss>, Upp::EmptyClass> >> =
{<DeepCopyOption<Upp::One<Upp::SlaveProcess>,Upp::EmptyClass>> = {<EmptyClass> =
{<No data fields>}, <No data fields>}, <No data fields>}, ptr = 0x0},
  cmdline = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
  ptr = 0x889a33c "/usr/bin/c++ -c -I"/home/p/upp/uvsvs/upp-uvsv" -I"/usr/X11R6/include\
-I"/usr/include" -I"/usr/X11R6/include/freetype2" -I"/opt/upp/uppsrc" -DflagGUI -DflagGCC
-DflagSHARED -DflagDEBUG_FULL -DflagLINUX "...}, <No data fields>},
  output = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
  ptr = 0x853974c ""}, <No data fields>},
  key = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
  ptr = 0x94e3404 "/opt/upp/out/Core/GCC.Debug_full.Gui.Release.Shared/Win32Com.o"}, <No
data fields>},
  group = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
  ptr = 0x94a7e44 "Core"}, <No data fields>}, outfile = 0x0,
  quiet = false, exitcode = 0, last_msecs = 948604485}
(gdb) p processes[1]
$6 = (Slot &) @0x886d490: {
  process =
{<MoveableAndDeepCopyOption<Upp::One<Upp::SlaveProcess>,Upp::EmptyClass>> =
{<Moveable<Upp::One<Upp::SlaveProcess>,Upp::DeepCopyOption<Upp::One<Upp::SlaveProce
ss>, Upp::EmptyClass> >> =
{<DeepCopyOption<Upp::One<Upp::SlaveProcess>,Upp::EmptyClass>> = {<EmptyClass> =
{<No data fields>}, <No data fields>}, <No data fields>}, ptr = 0x94c5e80},
  cmdline = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
  ptr = 0x94e937c "/usr/bin/c++ -c -I"/home/p/upp/uvsvs/upp-uvsv" -I"/usr/X11R6/include\
-I"/usr/include" -I"/usr/X11R6/include/freetype2" -I"/opt/upp/uppsrc" -DflagGUI -DflagGCC
-DflagSHARED -DflagDEBUG_FULL -DflagLINUX "...}, <No data fields>},
  output = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
  ptr = 0x853974c ""}, <No data fields>},
  key = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},

```

```
ptr = 0x94d89cc "/opt/upp/out/Core/GCC.Debug_full.Gui.Release.Shared/OL_Set.o"}, <No
data fields>},
group = {<AString<char,Upp::String>> = {<Moveable<Upp::String,Upp::EmptyClass>> =
{<EmptyClass> = {<No data fields>}, <No data fields>},
ptr = 0x94a7e44 "Core"}, <No data fields>}, outfile = 0x0,
quiet = false, exitcode = 0, last_msecs = 955095921}
(gdb) q
The program is running. Quit anyway (and detach it)? (y or n) Detaching from program:
/home/p/upp/out/gcc.Debug_full.Gui.Shared/ide, process 362
```

I fixed this bad behaviour by forcing IsRunning() to return true only when waitpid didn't return -1, and while I already where altering the code I also inserted some logging of the errno. then I tried again, and no locking. still, this is not a bug-fix, since the process still didn't pass its return-code. maybe someone might actually find the real bug. I logged the ide's stdout, here's the output (as above, I inserted "..." for brevity):

```
...
LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Core/GCC.Gui.Shared/Mt.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[7, 14]
wpipe[15, 16]
fork, pid = 698, getpid = 294
parent process - continue
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Core/GCC.Gui.Shared/Thread.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[17, 18]
wpipe[19, 20]
fork, pid = 700, getpid = 294
```

parent process - continue  
IsRunning() -> no, just exited, exit code = 0  
IsRunning() -> no  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[7, 14]  
wpipe[15, 16]  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]  
IsRunning() -> no, just exited, errno = 10  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[17, 18]  
wpipe[19, 20]  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]  
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Core/GCC.Gui.Shared/OL\_Set.o")  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]

LocalSlaveProcess::Open  
rpipe[7, 14]  
wpipe[15, 16]  
fork, pid = 704, getpid = 294  
parent process - continue  
IsRunning() -> no, just exited, exit code = 0  
IsRunning() -> no  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[7, 14]  
wpipe[15, 16]

```
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Core/GCC.Gui.Shared/heap.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[7, 14]
wpipe[15, 16]
fork, pid = 707, getpid = 294
parent process - continue
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Core/GCC.Gui.Shared/heapdbg.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[17, 18]
wpipe[19, 20]
fork, pid = 709, getpid = 294
parent process - continue
Read() -> select
Read(), read -> 1024: rpipe[7, 14]
wpipe[15, 16]
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Core/GCC.Gui.Shared/Mt.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[7, 14]
```

```
wpipe[15, 16]
fork, pid = 698, getpid = 294
parent process - continue
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -fexceptions
Read() -> select
Read(), read -> 1024: -Os -finline-limit=20 -x c++ "/home/p/upp/uvsvs/upp-uvsvs/Core/Thread.cpp" -o
"/opt/upp/out/Core/GCC.Gui.Shared/Thread.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[17, 18]
wpipe[19, 20]
fork, pid = 700, getpid = 294
parent process - continue
IsRunning() -> no, just exited, exit code = 0
IsRunning() -> no
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[7, 14]
wpipe[15, 16]
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
IsRunning() -> no, just exited, errno = 10
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[17, 18]
wpipe[19, 20]
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c -l"/home/p/upp/uvsvs/upp-uvsvs" ...
...
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o
```

```
"/opt/upp/out/Draw/GCC.Gui.Shared/DrawTextXft.o")
IsRunning() -> no
```

```
LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
```

```
LocalSlaveProcess::Open
rpipe[17, 18]
wpipe[19, 20]
fork, pid =
Read() -> select
Read(), read -> 1024: 974, getpid = 294
parent process - continue
IsRunning() -> no, just exited, exit code = 0
IsRunning() -> no
IsRunning() -> no
IsRunning() -> no
```

```
LocalSlaveProcess::Free, pid = 294
rpipe[7, 14]
wpipe[15, 16]
IsRunning() -> no
IsRunning() -> no
```

```
LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Draw/GCC.Gui.Shared/Draw.o")
IsRunning() -> no
```

```
LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
```

```
LocalSlaveProcess::Open
rpipe[7, 14]
wpipe[15, 16]
fork, pid = 0, getpid = 977
child process - execute application
26arguments:
[0]: </usr/bin/c++>
[1]: <-c>
[2]: <-I/home/p/upp/uvp/upp-uvp>
[3]: <-I/usr/X11R6/include>
[
IsRunning() -> no, just exited, exit code = 0
IsRunning() -> no
```

IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[7, 14]  
wpipe[15, 16]  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]  
IsRunning() -> no, just exited, errno = 10  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[17, 18]  
wpipe[19, 20]  
IsRunning() -> no  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]  
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o  
"/opt/upp/out/Draw/GCC.Gui.Shared/DrawOpWin32.o")  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]

LocalSlaveProcess::Open  
rpipe[7, 14]  
wpipe[15, 16]  
fork, pid = 981, getpid = 294  
parent process - continue  
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o  
"/opt/upp/out/Draw/GCC.Gui.Shared/DrawOpX11.o")  
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294  
rpipe[-1, -1]  
wpipe[-1, -1]

LocalSlaveProcess::Open  
rpipe[17, 18]

```
wpipe[19, 20]
fork, pid = 983, getpid = 294
parent process - continue
IsRunning() -> no, just exited, exit code = 0
IsRunning() -> no
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[7, 14]
wpipe[15, 16]
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Draw/GCC.Gui.Shared/DrawData.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]

LocalSlaveProcess::Open
rpipe[7, 14]
wpipe[15, 16]
fork, pid = 986, getpid = 294
parent process - continue
IsRunning() -> no, just exited, exit code = 0
IsRunning() -> no
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[17, 18]
wpipe[19, 20]
IsRunning() -> no
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
wpipe[-1, -1]
LocalSlaveProcess::Open(/usr/bin/c++ -c ... -o "/opt/upp/out/Draw/GCC.Gui.Shared/Drawing.o")
IsRunning() -> no

LocalSlaveProcess::Free, pid = 294
rpipe[-1, -1]
```

wpipe[-1, -1]

LocalSlaveProcess::Open

rpipe[17, 18]

wpipe[19, 20]

fork, pid = 989, getpid = 294

parent process - continue

Read() -> select

Read(), read -> 1024: upp/uvss/upp-uvss>

[3]: <-l/usr/X11R6/include>

[

IsRunning() -> no, just exited, exit code = 0

IsRunning() -> no

IsRunning() -> no

IsRunning() -> no

LocalSlaveProcess::Free, pid = 294

rpipe[7, 14]

wpipe[15, 16]

IsRunning() -> no

IsRunning() -> no

LocalSlaveProcess::Free, pid = 294

rpipe[-1, -1]

wpipe[-1, -1]

IsRunning() -> no, just exited, errno = 10

IsRunning() -> no

IsRunning() -> no

LocalSlaveProcess::Free, pid = 294

rpipe[17, 18]

wpipe[19, 20]

IsRunning() -> no

IsRunning() -> no

LocalSlaveProcess::Free, pid = 294

rpipe[-1, -1]

wpipe[-1, -1]

LocalSlaveProcess::Open(/usr/bin/c++ -c -I"/home/p/upp/uvss/upp-uvss" ...

---

Subject: Re: Upp 2007.1beta2 released

Posted by [paolo](#) on Tue, 30 Jan 2007 21:19:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Just bought a new laptop (with Vista),  
just installed Upp 2007.1beta2

tried to compile AddressBook and got:

```
----- CtrlLib ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) (1 / 10)
BLITZ: LabelBase.cpp Button.cpp Switch.cpp EditField.cpp Text.cpp LineEdit.cpp DocEdit.cpp
ScrollBar.cpp HeaderCtrl.cpp ArrayCtrl.cpp Drop
Box.cpp DropList.cpp DropPusher.cpp DropChoice.cpp Static.cpp Splitter.cpp FrameSplitter.cpp
SliderCtrl.cpp ColumnList.cpp Progress.cpp
p AKeys.cpp RichTextview.cpp Prompt.cpp Help.cpp DateTimeCtrl.cpp Bar.cpp MenuBar.cpp
ToolBar.cpp ToolTip.cpp StatusBar.cpp TabCtrl.cpp
p TreeCtrl.cpp DlgColor.cpp ColorPopup.cpp ColorPusher.cpp FileList.cpp FileSel.cpp
PrinterJob.cpp Windows.cpp Win32.cpp TrayIconWin32
.cpp TrayIconX11.cpp CtrlUtil.cpp Update.cpp LNGCtrl.cpp Ch.cpp ChGtk.cpp
ChWin32.cpp
CtrlLib.icpp
gcc.exe: installation problem, cannot exec `cc1plus': No such file or directory
gcc.exe: installation problem, cannot exec `cc1plus': No such file or directory
gcc.exe: installation problem, cannot exec `cc1plus': No such file or directory
CtrlLib: 49 file(s) built in (0:00.06), 1 msecs / file, duration = 265 msecs, parallelization 86%
```

There were errors. (0:00.28)

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [mirek](#) on Tue, 30 Jan 2007 23:13:22 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Installation path? "C:\upp"?

Mirek

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [paolo](#) on Wed, 31 Jan 2007 10:21:14 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Wed, 31 January 2007 00:13 Installation path? "C:\upp"?

Mirek

Yes. I installed it there.

In fact it's only a PATH problem. PATH in the mean of the environment variable.

I've copied the 3 files from c:\upp\mingw\libexec\gcc\mingw32\3.4.2 to c:\windows\system32 and now I can compile ('cause c:\windows\system32 is in the PATH).

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [mirek](#) on Wed, 31 Jan 2007 12:29:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

paolo wrote on Wed, 31 January 2007 05:21  
luzr wrote on Wed, 31 January 2007 00:13  
Installation path? "C:\upp"?

Mirek

Yes. I installed it there.

In fact it's only a PATH problem. PATH in the mean of the environment variable.

I've copied the 3 files from c:\upp\mingw\libexec\gcc\mingw32\3.4.2 to c:\windows\system32 and now I can compile ('cause c:\windows\system32 is in the PATH).

So you have installed version without mingw bundled? (Because it would be a bug in autoinstall process if mingw version would not work...).

BTW, how does it work with Vista? Any problems? Any UAC dialogs?

Mirek

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [paolo](#) on Thu, 01 Feb 2007 01:41:05 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Wed, 31 January 2007 13:29

So you have installed version without mingw bundled? (Because it would be a bug in autoinstall process if mingw version would not work...).

BTW, how does it work with Vista? Any problems? Any UAC dialogs?

Mirek

I've installed the version with minigw bundled.

Seems no problem at all with Vista, only a UAC dialog each time I start Thelde (even if I've just closed it).

If you have any test to do with Vista, just tell me and I'll gladly do it.

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [mirek](#) on Thu, 01 Feb 2007 04:25:33 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

paolo wrote on Wed, 31 January 2007 20:41  
luzr wrote on Wed, 31 January 2007 13:29

So you have installed version without mingw bundled? (Because it would be a bug in autoinstall process if mingw version would not work...).

BTW, how does it work with Vista? Any problems? Any UAC dialogs?

Mirek

I've installed the version with minigw bundled.

Seems no problem at all with Vista, only a UAC dialog each time I start Thelde (even if I've just closed it).

"only" ? What does it say?

Mirek

---

---

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [paolo](#) on Thu, 01 Feb 2007 14:17:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Thu, 01 February 2007 05:25

"only" ? What does it say?

Mirek

I wrote "only" just because I'm seeing a lot of them, installing applications and configuring the system.

It says:

"An unidentified program wants access to your computer"

as it is explained here:

<http://windowshelp.microsoft.com/Windows/en-US/help/0eeb9ddd-ddaa-4cc5-a092-9908305665471033.mspx>

and showed here:

[http://www.jimcarson.com/i/vista\\_user\\_account\\_control2.png](http://www.jimcarson.com/i/vista_user_account_control2.png)

---

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [mirek](#) on Thu, 01 Feb 2007 19:13:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Anybody knows how to get rid off it? Manifest file?

Mirek

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [paolo](#) on Thu, 01 Feb 2007 21:17:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

luzr wrote on Thu, 01 February 2007 20:13Anybody knows how to get rid off it? Manifest file?

Mirek

Mirek,

hoping to help about the UAC tingy, if I execute the (eg) AddressBook.exe from the output dir, it runs without Vista asking any action from me.

And I've an "issue": TheIDE is always on the foreground even if I click other applications on the application bar and the only way to switch to another application is to minimize TheIDE.

Hope to help,

P.

---

---

Subject: Re: Upp 2007.1beta2 released

Posted by [paolo](#) on Fri, 02 Feb 2007 11:23:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Dunno why, I don't have changed any configuration, but now Vista seems to have learned that TheIDE is "good" and it doesn't ask me to confirm the execution.

---