
Subject: Re: [Linux] How to create a separate configuration for a locally built TheIDE?

Posted by [mdelfede](#) on Tue, 13 Nov 2007 11:52:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

Novo wrote on Mon, 12 November 2007 21:21: On Windows TheIDE picks up *.var files in the TheIDE's directory. That is simple.

On Linux I've installed a Debian package with 2007.1, after that I've built an SVN version of TheIDE using 2007.1 one. 2007.1 picks up configuration files in ~/.theide/, the SVN-version doesn't. It also doesn't look into directory, where it is located.

I couldn't understand that behavior from the source code. Is there a logical explanation?

Ok, I'll make a little explanation of I did... It works for me, so it should for you too !

1- Install Theide, release version, as you like, with debian package or what you like. I usually prefer sources, but with no makefile there is little choice.

2- OPTIONAL STEP : the files are usually in ~/upp; as I didn't like this location, I moved them to ~/sources/upp. Beware that doing that you lose the configuration vars; so, IMHO, the best is to move the source tree, delete the configuration dir '.theide' in home dir and run theide again. Say "NO" when it asks on file setup per user, and then recreate manually from inside theide the assemblies. (quite boring stuff, it would be better an option to recreate them automatically...) Better hand way : before wiping .theide configuration dir, grab .var files inside, and edit them to reflect new sources locations.

3)- Get development sources tree; I did put it in ~/sources/uppdev

4) Use stable version to compile devel one. To do this, you must create a new assembly inside Theide, pointing to upp development tree; in my case it's ~/sources/uppdev
The binary file name is 'ide', not 'theide', but can be changed from theide. I suggest to leave it as 'ide'.

I suggest also to change options to enable full debug... It will be slower, but you'll get useful hints if things go bad.

5) Quit theide stable, make a symbolic link from ide binary (found in ~/sources/uppdev/out/<something>, where <something> depends on build options...> in /usr/bin and, if you like () add it to applications menu.

6) Launch ide (devel version), as in point 2 you'll be asked if you want to configure for local user, say "NO".

7) From inside ide, you must recreate the assembly path, or, as explained in point 2, grab .var files from ~/.theide directory, copy them inside ~/.ide (the configuration path for devel version, depends on executable name) and edit them to reflect new sources locations.

That's all. Seems difficult, but it can be done in 5 minutes, besides compilation.

From now, to keep devel updated, just do 'svn up' in source tree (or, if you're lucky, an uvs2 update...), and use theide STABLE to recompile it. DON'T use devel to compile itself !!!

Ciao

Max
