
Subject: Re: Ctrl::OverrideCursor
Posted by [mirek](#) on Sat, 23 Feb 2008 09:00:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Tom1 wrote on Fri, 22 February 2008 08:14Hi,

Ctrl::OverrideCursor() does not seem to react immediately (at least on Vista) but instead requires control to be returned to the system. I added SetMouseCursor(m) call to the CtrlMouse.cpp as follows and got immediate response:

```
Image Ctrl::OverrideCursor(const Image& m)
{
    Image om = CursorOverride();
    CursorOverride() = m;
    DoCursorShape();
    SetMouseCursor(m); // Added by tom
    return om;
}
```

If you think it does not mess up anything else in UPP, please add it to the source. (The reason for immediate response requirement is that I need to show a wait cursor when processing some lengthy user mouse input requests.

// Tom

Well, this is really weird, as DoCursorShape calls SetMouseCursor too...

I have tested with this code, without proposed patch:

```
#include <CtrlLib/CtrlLib.h>

using namespace Upp;

struct App : TopWindow {
    virtual void LeftDown(Point, dword) {
        Image m = OverrideCursor(CtrlImg::exclamation());
        Sleep(1000);
        OverrideCursor(m);
        Sleep(1000);
    }
};

GUI_APP_MAIN
{
    App().Run();
}
```

and everything seems to work OK (WinXP).

Mirek
