
Subject: Re: Upp 2008.1 released
Posted by [michael](#) on Mon, 28 Jul 2008 14:08:23 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have attached my build-settings below.

Here is the verbose-output whe compiling in MSC9-Optimal:

```
----- CtrlLib ( GUI MSC9 BLITZ WIN32 MSC ) ( 1 / 12 )
cd C:\upp\uppsrc\CtrlLib
C:\upp\uppsrc\CtrlLib\XPTheme.dli(1) : blocks BLITZ of C:\upp\uppsrc\CtrlLib\ChWin32.cpp
BLITZ: LabelBase.cpp Button.cpp Switch.cpp EditField.cpp Text.cpp LineEdit.cpp DocEdit.cpp
ScrollBar.cpp HeaderCtrl.cpp ArrayCtrl.cpp Mult
iButton.cpp PopupTable.cpp DropList.cpp DropChoice.cpp Static.cpp Splitter.cpp
FrameSplitter.cpp SliderCtrl.cpp ColumnList.cpp Progres
s.cpp AKeys.cpp RichTextView.cpp Prompt.cpp Help.cpp DateTimeCtrl.cpp Bar.cpp
MenuItem.cpp MenuBar.cpp ToolButton.cpp ToolBar.cpp Tool
Tip.cpp StatusBar.cpp TabCtrl.cpp TreeCtrl.cpp DlgColor.cpp ColorPopup.cpp ColorPusher.cpp
FileList.cpp FileSel.cpp PrinterJob.cpp Win
dows.cpp Win32.cpp TrayIconWin32.cpp TrayIconX11.cpp CtrlUtil.cpp Update.cpp LNGCtrl.cpp
Ch.cpp ChGtk.cpp
compiled in (0:00.00)
$blitz.cpp
compiled in (0:02.85)
----- Sql ( GUI MSC9 BLITZ WIN32 MSC ) ( 2 / 12 )
cd C:\upp\uppsrc\Sql
BLITZ: SqlCase.cpp SqlVal.cpp SqlBool.cpp SqlSet.cpp SqlStatement.cpp Sql.cpp
SqlSchema.cpp util_td.cpp
----- MySql ( GUI MSC9 BLITZ WIN32 MSC ) ( 3 / 12 )
cd C:\upp\uppsrc\MySql
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=6 -DbmSECOND=57 -
EHsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/CtrlLib/MSC9.Blitz.Gui\CtrlLib-1.pdb" -Tp
"C:/upp/out/CtrlLib/MSC9.Blitz.Gui\blitz.cpp" -Fo"C:/
upp/out/CtrlLib/MSC9.Blitz.Gui\blitz.obj"
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=6 -DbmSECOND=57 -
EHsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/CtrlLib/MSC9.Blitz.Gui\CtrlLib-2.pdb" -Tp
"C:\upp\uppsrc\CtrlLib\ChWin32.cpp" -Fo"C:/upp/out/Ctr
Lib/MSC9.Blitz.Gui\ChWin32.obj"
```

ChWin32.cpp

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=6 -DbmSECOND=57 -
EHsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/CtrlLib/MSC9.Blitz.Gui\CtrlLib-2.pdb" -Tp
"C:\upp\uppsrc\CtrlLib\CtrlLib.icpp" -Fo"C:/upp/out/Ct
rlLib/MSC9.Blitz.Gui\CtrlLib.obj"
```

CtrlLib.icpp

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=0 -E
Hsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/Sql/MSC9.Blitz.Gui\Sql-2.pdb" -Tp
"C:/upp/out/Sql/MSC9.Blitz.Gui\Sql-2.pdb" -Fo"C:/upp/out/Sql/M
SC9.Blitz.Gui\Sql-2.obj"
```

CtrlLib: 51 file(s) built in (0:07.21), 141 msecs / file, duration = 10328 msecs, parallelization 100%
compiled in (0:05.31)

----- GridCtrl (GUI MSC9 BLITZ WIN32 MSC) (4 / 12)

cd C:\upp\uppsrc\GridCtrl

MySql.cpp

BLITZ: GridCtrl.cpp GridDisplay.cpp GridText.cpp GridBase.cpp GridSort.cpp GridUtils.cpp

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=2 -E
Hsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/MySql/MSC9.Blitz.Gui\MySql-1.pdb" -Tp
"C:\upp\uppsrc\MySql\MySql.cpp" -Fo"C:/upp/out/MySql/MSC9.B
litz.Gui\MySql.obj"
```

MySql: 1 file(s) built in (0:00.62), 628 msecs / file, duration = 6875 msecs, parallelization 100%

----- CtrlCore (GUI MSC9 BLITZ WIN32 MSC) (5 / 12)

cd C:\upp\uppsrc\CtrlCore

\$blitz.cpp

BLITZ: Frame.cpp Ctrl.cpp CtrlChild.cpp CtrlPos.cpp CtrlDraw.cpp CtrlMouse.cpp CtrlKbd.cpp

CtrlTimer.cpp CtrlClip.cpp LocalLoop.cpp TopWin

dow.cpp Win32Wnd.cpp Win32Clip.cpp Win32DnD.cpp Win32Proc.cpp TopWin32.cpp

DHCtrl.cpp X11Wnd.cpp X11Proc.cpp TopWinX11.cpp X11Clip.cpp

X11DnD.cpp X11ImgClip.cpp X11App.cpp X11DHCtrl.cpp

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
```

```
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
```

```

" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=8 -E
Hsc -DLOG_CALLBACKS -MT -O1 -GS- -Gy
-Fd"C:\upp\out\GridCtrl\MSC9.Blitz.Gui\GridCtrl-1.pdb" -Tp "C:\upp\out\GridCtrl\MSC9.Blitz.Gui\b
litz.cpp" -Fo"C:\upp\out\GridCtrl\MSC9.Blitz.Gui\bblitz.obj"
$blitz.cpp
C:\upp\uppsrc\Sql\Sql.cpp(203) : warning C4018: '>' : signed/unsigned mismatch
C:\upp\uppsrc\Sql\Sql.cpp(205) : warning C4018: '>' : signed/unsigned mismatch
Sql: 8 file(s) built in (0:05.21), 651 msec / file, duration = 12343 msec, parallelization 100%
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=9 -E
Hsc -MT -O1 -GS- -Gy -Fd"C:\upp\out\CtrlCore\MSC9.Blitz.Gui\CtrlCore-2.pdb" -Tp
"C:\upp\out\CtrlCore\MSC9.Blitz.Gui\bblitz.cpp" -Fo"C
:\upp\out\CtrlCore\MSC9.Blitz.Gui\bblitz.obj"
GridCtrl: 6 file(s) built in (0:02.46), 411 msec / file, duration = 6219 msec, parallelization 100%
compiled in (0:01.28)
----- RichText ( GUI MSC9 BLITZ WIN32 MSC ) ( 6 / 12 )
cd C:\upp\uppsrc\RichText
CtrlCore.icpp
BLITZ: Object.cpp ParaPaint.cpp TxtData.cpp TxtPaint.cpp TxtOp.cpp Format.cpp TableCell.cpp
TableLayout.cpp TablePaint.cpp TableData.cpp T
extPaint.cpp TextStyle.cpp TextData.cpp TextTable.cpp Util.cpp
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=9 -E
Hsc -MT -O1 -GS- -Gy -Fd"C:\upp\out\CtrlCore\MSC9.Blitz.Gui\CtrlCore-1.pdb" -Tp
"C:\upp\uppsrc\CtrlCore\CtrlCore.icpp" -Fo"C:\upp\out
/CtrlCore\MSC9.Blitz.Gui\CtrlCore.obj"
$blitz.cpp
compiled in (0:00.82)
c:\upp\uppsrc\richtext\txtop.cpp(54) : fatal error C1001: An internal error has occurred in the
compiler.
(compiler file 'f:\dd\vc\tools\compiler\utcl\src\p2\main.c[0x51144100:0x0000002C]', line 182)
To work around this problem, try simplifying or changing the program near the locations listed
above.
Please choose the Technical Support command on the Visual C++
Help menu, or open the Technical Support help file for more information
Internal Compiler Error in C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe. You will be
prompted to send an error report to Micros
oft later.
compiled in (0:02.45)

```

compiled in (0:02.04)

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-1.pdb" -Tp
"C:/upp/out/RichText/MSC9.Blitz.Gui\blitz.cpp" -Fo"
C:/upp/out/RichText/MSC9.Blitz.Gui\blitz.obj"
$blitz.cpp
```

CtrlCore: 26 file(s) built in (0:02.35), 90 msec / file, duration = 7172 msec, parallelization 100%

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-2.pdb" -Tp
"C:\upp\uppsrc\RichText\ParaData.cpp" -Fo"C:/upp/out
/RichText/MSC9.Blitz.Gui\ParaData.obj"
ParaData.cpp
```

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-2.pdb" -Tp
"C:\upp\uppsrc\RichText\ParaType.cpp" -Fo"C:/upp/out
/RichText/MSC9.Blitz.Gui\ParaType.obj"
ParaType.cpp
```

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-2.pdb" -Tp
"C:\upp\uppsrc\RichText\EncodeQtf.cpp" -Fo"C:/upp/ou
t/RichText/MSC9.Blitz.Gui\EncodeQtf.obj"
```

```
Error executing "C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:
\Programme\Microsoft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft
SDKs\Windows\v6.1\Include" -I"C:\Programme\MySQL\MySQL_Se
rver_5.0\include" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7
-DbmSECOND=14 -EHsc -MT -O1 -GS- -Gy
```

```

-Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-1.pdb" -Tp
"C:/upp/out/RichText/MSC9.Blitz.Gui\
$blitz.cpp" -Fo"C:/upp/out/RichText/MSC9.Blitz.Gui\blitz.obj"
compiled in (0:00.67)
ParseQtf.cpp
compiled in (0:01.18)
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-1.pdb" -Tp
"C:\upp\uppsrc\RichText\ParseQtf.cpp" -Fo"C:/upp/out
/RichText/MSC9.Blitz.Gui\ParseQtf.obj"
EncodeQtf.cpp
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-2.pdb" -Tp
"C:\upp\uppsrc\RichText\EncodeRTF.cpp" -Fo"C:/upp/ou
t/RichText/MSC9.Blitz.Gui\EncodeRTF.obj"
compiled in (0:01.32)
ParseRTF.cpp
compiled in (0:00.46)
compiled in (0:01.78)
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-1.pdb" -Tp
"C:\upp\uppsrc\RichText\ParseRTF.cpp" -Fo"C:/upp/out
/RichText/MSC9.Blitz.Gui\ParseRTF.obj"
EncodeRTF.cpp
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"
-I"C:\Programme\MySQL\MySQL_Server_5.0\include
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -
EHsc -MT -O2 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-2.pdb" -Tp
"C:\upp\uppsrc\RichText\EncodeHTML.cpp" -Fo"C:/upp/o
ut/RichText/MSC9.Blitz.Gui\EncodeHTML.obj"

```

EncodeHTML.cpp

```
"C:\Programme\Microsoft Visual Studio 9.0\VC\Bin\cl.exe" -nologo -W3 -GR -c  
-I"K:\Entwicklung\UPP" -I"C:\upp\uppsrc" -I"C:\Programme\Micro  
soft Visual Studio 9.0\VC\Include" -I"C:\Programme\Microsoft SDKs\Windows\v6.1\Include"  
-I"C:\Programme\MySQL\MySQL_Server_5.0\include  
" -DflagGUI -DflagMSC9 -DflagBLITZ -DflagWIN32 -DflagMSC -DbmYEAR=2008  
-DbmMONTH=7 -DbmDAY=28 -DbmHOUR=16 -DbmMINUTE=7 -DbmSECOND=14 -  
EHsc -MT -O1 -GS- -Gy -Fd"C:/upp/out/RichText/MSC9.Blitz.Gui\RichText-2.pdb" -Tp  
"C:\upp\uppsrc\RichText\RichImage.icpp" -Fo"C:/upp/o  
ut/RichText/MSC9.Blitz.Gui\RichImage.obj"
```

RichImage.icpp

RichText: 23 file(s) built in (0:11.91), 518 msec / file, duration = 13922 msec, parallelization
97%

There were errors. (0:30.68)

File Attachments

1) [settings.png](#), downloaded 764 times


Build methods

Method
MINGW
MSC9

Builder: MSC9
Compiler name:
External debugger: msdev

Debug mode defaults
Default debug info level: Full
☒ Use BLITZ
☒ All static ☐ Shared libs ☐ All shared

Release mode defaults
☐ Use BLITZ
☒ All static ☐ Shared libs ☐ All shared

Debug options: -Od
Debug fixed flags:

Optimize for speed: -O2 -GS-
Optimize for size: -O1 -GS-
Release fixed flags:

PATH - executable directories
INCLUDE directories
LIB directories

C:\Programme\Microsoft Visual Studio 9.0\Common7\Ide
C:\Programme\Microsoft Visual Studio 9.0\vc\Bin
C:\Programme\Microsoft SDKs\Windows\v6.1\Bin
C:\Programme\MySQL\MySQL_Server_5.0\bin

☐ Lock link mode
Script file:
☒ Store all target files in the same directory
Set as default

Remote host
Remote host[:port]:
OS type:
File access:

Map local path
To remote path

OK Cancel