
Subject: U++ 2008.1 rpm automatic reconstruction for the rpm maintainer

Posted by [amrein](#) on Fri, 15 Aug 2008 22:20:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

(UPDATED BECAUSE AT LEAST THERE ARE 2 PATCHES NEEDED TO PACK UPP 2008.1 CORRECTLY)

Note : There are binary rpm and easier instructions for rpm build here:

<http://www.ultimatepp.org/forum/index.php?t=msg&th=3734&start=0>

Hi,

We talked about U++ rpm release. Here is a rpm .spec file. I built U++ on Mandrivalinux (www.mandriva.com).

Here how to use and test it (you run Ubuntu I guess). Install steps:

- . Install the kernel devel source + virtualbox in Ubuntu (apt-get install virtualbox I guess).
- . Get the Mandriva 2008.1 install CD from their website.
- . Start virtualbox and set it to boot on the downloaded CD.
- . Install Mandrivalinux.
- . As root in Mandrivalinux, install rpm-build (sudo won't work out of the box here for security reason):

```
# su
# urpmi rpm-build
# urpmi freetype2-devel gtk2-devel pango-devel atk-devel cairo-devel X11-devel xft2-devel
expat-devel
# exit
```

Now, we need to prepare the rpm build environment. You need to do this only once:

```
# cat > ~/.rpmrc << EOF
```

```
buildarchtranslate: i386: i586
buildarchtranslate: i486: i586
buildarchtranslate: i586: i586
buildarchtranslate: i686: i586
EOF
```

```
# cat > ~/.rpmmacros << EOF
```

```
%_topdir      $HOME/rpm
%_tmppath     $HOME/rpm/tmp

%_signature   gpg
%_gpg_name    Mandrivalinux
```

```
%_gpg_path          $HOME/.gnupg
%distribution        Mandrivalinux
%vendor             Ultimate++ team
%packager            YourName YourLastName <youremail@provider.location>
EOF
```

```
# mkdir -p ~/rpm/{BUILD,RPMS/{i586,x86_64,noarch},SOURCES,SRPMS,SPECS,tmp}
```

Now, we download what we need:

- First the spec file

```
# scp your-pc-ip:~/where-you-downloaded-the-spec-file/upp.spec ~/rpm/SPEC/
```

- The U++ tarball:

```
# scp your-pc-ip:~/where-you-downloaded-upp-src-2008.1.tar.gz/upp-src-2008.1.tar.gz
~/rpm/SOURCE/
```

- The .desktop patch (because there's a bug in the upp2008.1 package). See next posts to find it.

```
# scp your-pc-ip:~/where-you-downloaded-the-patch/upp-src-2008.1.f
ix_png_name_in_desktop_file ~/rpm/SOURCE/
```

- The correct theide-48.png icon (because the provided one in the tarball is corrupted). See next posts to find it.

```
# scp your-pc-ip:~/where-you-downloaded-the-icone/theide-48.png ~/rpm/SOURCE/
```

So, now, you have rpmbuild ready to do its job. You have the build script (spec file). You have the tarball a patch and a png.. Let's build the rpms and install it:

```
# rpmbuild -ba ~/rpm/SPEC/upp.spec
```

To install your new rpm package:

```
# urpmi ~/rpm/RPMS/i586/upp-2008.1-1.i586.rpm
or
# urpmi ~/rpm/RPMS/x86_64/upp-2008.1-1.x86_64.rpm
```

You can then run theide from the command line or find it into Menu/Development/

Now you know out to have a rpm build system. You can use cron job to have a daily building system running. You know how to start a script at boot time to automate the build of new daily release and then send result of the build and errors and then shutdown the virtual machine (just shutdown -h now) to let the server use its processors for something else.

If not, well... do you like man page and google?
I'm joking.

Have a look in the spec file. You will understand why I said there are a few disturbing things into the U++ tarball.

If you want more information about rpm build, have a look here:

<http://wiki.mandriva.com/en/Development/Howto/RPM>

<http://wiki.mandriva.com/en/Development/Packaging>

Other issue: When you run theide, there is no template available without GCC.bm. The spec file %file section doesn't have more than one icon. theide-48.png is not a valide png. The theide-48.png I added comes from the debian script (they create it manually). The desktop file doesn't need to have theide.png in the "icon=". just theide without the extention. The patch I provide fix it.

Type this to know the standard Makefiles names for paths, CFLAGS, CXXFLAGS in linux:

```
# rpm --eval %configure
```

and

```
# rpm --eval %makeinstall
```

You can now also change your Makefile accordingly.

Regards and happy coding
Amrein-Marie Christophe

File Attachments

1) [upp.spec](#), downloaded 657 times
