
Subject: Re: PopUpTree related questions

Posted by [mrjt](#) on Wed, 25 Mar 2009 09:47:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

cbpporter wrote on Fri, 20 March 2009 12:17. PopUpTree.PopUp doesn't seem to work only if I inserted the tree in a TopWindows, possibly any container. If I don't add it and I call PopUp without coordinates, I couldn't get it to display with any other height except zero. Also x, top and bottom seem to be screen relative, not parent relative, which is in contrast to the call without coordinates. Is this a control that is not supposed to be used directly?

2. What is this control good for. Clicking or opening an item in the tree closes the popup. I can imagine useful scenarios where selecting a tree item closes the popup, but not one where closing/opening an item.

3. Should I document this?

What an interesting ctrl

1- It seems to me from looking at the code that this was originally designed to be used as part of something like a DropChoice or perhaps independently as part of something else. Once you understand this it becomes a bit clearer.

- Like any popup it shouldn't work if it has a parent, as that makes no sense.

- The parameters to PopUp aren't obvious, but make sense if you were using it as a DropChoice:

x: x position

top: place to open upwards if there is insufficient space to open downwards (usually top of owner ctrl)

bottom: position to slide open downwards (usually bottom of owner ctrl)

width: popup width (usually width of owner ctrl)

All coordinates are relative to the screen because a popup is a top ctrl and is positioned in screen-space.

- The height the ctrl is determined by min(maxheight, treesize), so is dependent on what you have put in it. An empty tree will display with zero height. See PopUpTree::OpenClose.

2- It is intended that the ctrl should automatically close when an item is selected. You can open/close parent nodes as long as they have Null data (maybe NoSelect will work too), but it doesn't correctly distinguish between open/close events and selection when parent node can also be selected. This is easily fixed, and I've attached my fixed files.

3 - Up to you. I can't imagine many people would have a use for this and there aren't any references to it in uppsrc.

Here is my test usage of the ctrl (added to TreeCtrlDnd reference):

```
void PopTree()
{
    pop.Clear();
    pop.NoRoot();
    Copy(pop, 0, 0, tree, 0);
    pop.MaxHeight(150);
}
```

```
Point p = GetMousePos();
pop.PopUp(this, p.x, p.y, p.y, 200);
}
```

Additionally the Copy function (TreeCtrl.cpp) is slightly incorrect. It should be:

```
int Copy(TreeCtrl& dst, int did, int i, const TreeCtrl& src, int id)
```

```
{
    TreeCtrl::Node x = src.GetNode(id);
    x.ctrl = NULL;
    did = dst.Insert(did, i, x);
    for(int i = 0; i < src.GetChildCount(id); i++)
        Copy(dst, did, i, src, src.GetChild(id, i));
    dst.Open(did, src.IsOpen(id));
    return did;
}
```

'dst.Open' was being called before node children were added and so was not syncing correctly (causing incorrect Ctrl sizing), so I moved it to after the for loop.

That's certainly got my brain working this morning

File Attachments

- 1) [TreeCtrl.cpp](#), downloaded 572 times
 - 2) [TreeCtrl.h](#), downloaded 664 times
-