
Subject: Re: A trouble with "select" from Oracle DB
Posted by [tojocky](#) on Tue, 19 Oct 2010 14:21:03 GMT
[View Forum Message](#) <> [Reply to Message](#)

porto wrote on Tue, 19 October 2010 16:34I replaced original text whih "sometext" string.
connection time: 0.141

total rows: 14600, timer: 0.000

1. sometext1

2. sometext2

3. sometext3

.....

343. sometext343

344. sometext344

345. sometext345

Please, change the class constructor code like this:

```
OracleTest::OracleTest(){
    CtrlLayout(*this, "Window title");
    Sizeable().MaximizeBox().MinimizeBox().Maximize();
    String result;
    TimeStop v_timer;
    if(oracle_conn.Login("user", "pass", "host:port/SID", true)){
        result << "\n connection time: " << v_timer;
        v_timer.Reset();
        Sql sql(oracle_conn);
        if(sql.Execute("SELECT COUNT(*) FROM IKIS_ERS.INSUR_ANKT_A")){
            while(sql.Fetch())
                result << "\n total rows: " << sql[0];
            result << ", timer: " << v_timer;
            v_timer.Reset();
        }else result << "error: " << sql.GetLastError();

        if(sql.Execute("SELECT IAN_NAME1 FROM IKIS_ERS.INSUR_ANKT_A")){
            int i = 0;
            while(sql.Fetch()){
                ++i;
                result << "\n" << i << ". " << sql[0];
            }

            result << ", timer: " << v_timer;
            v_timer.Reset();
        }else result << "error: " << sql.GetLastError();
        }else
            result << "error to connect";
        LogCtrl.Set(result);
    }
```

replace connection parameters!

Write your result and attach the log file.

ADDED: change the code. add GetLastError().
