

---

Subject: Deadlock - what LeaveGMutexAll does?

Posted by [pete82](#) on Sun, 01 Jan 2012 11:35:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi!

I'm creating simple network monitoring application. I've two threads - one thread serves network and the other is main. I've also some lua bindings, so i can do some fast prototyping and modify code on the fly (which works). Lua is single threaded, so i've mutex, call it IM.

Now because i've overridden Paint which is called with GuiLock held (as i understand), i have to acquire GuiLock and then IM to prevent deadlocks (the Paint is served in my lua code) for every lua access (i'm painting in lua often anyway).

I've also some timers which are timing GUI refreshes from network thread, and the refreshes are called from main thread (this was not intentional, but seems good to me ).

I've still some deadlocks, which i'm unable to solve. So i fired up good old ollydbg (theide was not showing correct info) and it seems to me, that the problem is LeaveGMutexAll in Ctrl::ICall.

The network thread is holding IM and GuiLock, the timer fires or smt else and the GuiLock is released. So the first thread can acquire it, but can't acquire IM.

Or am i wrong? How can i solve this?

The call sequence(or stack) is smt like this

main->timer->GuiLock->waiting on IM to call timer function

thread->GuiLock->IM->Lua->refresh->waiting in UPP

I can provide more precise stack traces, but it takes some time to reproduce...

Thnx for answers.

---