
Subject: Re: Selecting MYAPPS after starting theide.exe it is blank

Posted by [Klugier](#) on Thu, 24 Mar 2016 20:06:36 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello,

Well, you can add any assembly by yourself. First of all open IDE and create new assembly (Right click on assembly list and select "New assembly". Then you need to setup it. First of all specific path to MyApps dir then to uppsrc. For me on Linux the path looks like this: "/home/klugier/MyApps;/home/klugier/upp/uppsrc". Please notice that ide search for main packages in first directory. The second is supportive, but also important. Beacuse if you don't specific uppsrc - you don't use any of U++ packages.

If you have MyApps, but with different path. Just double click on assembly name and change path to your "real" MyApps directory.

Maybe this screenshot find helpful to you:

Sincerely,
Klugier

File Attachments

1) [Screenshot.png](#), downloaded 779 times

Select main package (TheIDE)

Package (12)	Nest	Description
Bugged	Tests	
CPP11Test	Tests	
DMCTest	Tests	
TreeGrid	Tests	
TreeGridDemo	Tests	

Assembly

- bazaar
- examples
- My Assembly
- MyAndroidApps
- MyApps
- reference
- Tests**
- tutorial
- upbbox
- uppsrc

Assembly setup

Package nests:

Output directory:

Assembly name:

Package description (Alt+Enter)

Main packages of first nest Brief list