

Subject: Re: Selecting MYAPPS after starting theide.exe it is blank
Posted by Lance on Sat, 26 Mar 2016 02:52:44 GMT

[View Forum Message](#) <> [Reply to Message](#)

Looks like your build method was not set up correctly, in particular, the library folders might be incorrect or incomplete.

Here is my library folders for a comparison:

File Attachments

1) [libs.png](#), downloaded 700 times

The screenshot shows the Visual Studio 2014 project properties dialog, Build tab, for the MSC15x64 build method. The configuration is as follows:

- Builder:** MSC15X64
- Tools:** Compiler name: (empty), External debugger: msdev
- Common options:** /bigobj
- Common C++ options:** (empty)
- Common C options:** (empty)
- Common link options:** (empty)
- Common fixed flags:** (empty)
- Debug mode defaults:** Default debug info level: Full, Use BLITZ
- Debug options:** -Od
- Debug fixed flags:** (empty)
- Debug link options:** /STACK:20000000
- Release mode defaults:** Use BLITZ
- Optimize for speed:** -O2
- Optimize for size:** -O1
- Release fixed flags:** (empty)
- Release link options:** /STACK:20000000
- Allow precompiled headers

The **LIB directories** tab is selected, showing the following paths:

- c:/program files (x86)/microsoft visual studio 14.0/vc/lib/amd64
- c:/program files (x86)/windows kits/10/lib/10.0.10240.0/ucrt/x64
- c:/program files (x86)/windows kits/10/lib/10.0.10240.0/um/x64
- D:\upp\bin\OpenSSL-Win/lib/VC

Other settings visible include:

- Lock link mode
- Script file: (empty)
- Store all target files in the same directory