

---

Subject: Look of the IDE on kubuntu 6.10  
Posted by [mr\\_ped](#) on Fri, 02 Feb 2007 01:17:18 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Help please with the look of the IDE.

I downloaded the `upp_2007.1-beta3_i386.deb` and installed it on kubuntu 6.10 (just needed installation of some more packages from dependencies, worked without any problem).

I'm adding screenshot how it \*LOOKS\*.

I can't use such thin fonts, also I would love +2 size (ok, maybe I should get finally glasses again, but for now...).

No other application so far had this look, and I don't see any way how to configure it inside upp.

Any chance to change the font of menus to something usable?

Those fonts are so thin, that the subpixel font rendering doesn't work correctly and I see colorful characters instead of normal black ones.

(I have this problem with Firefox too, but there's certainly not as visible, and it's due to their own font rendering engine embedded in Firefox binaries)

The font settings for editor looks rich enough to set it up to my liking, no problem there.

I can try it again under Gnome later, because I had both managers installed, but under Gnome I have some stability issues and I got already used to KDE since than.

edit: change of GUI theme doesn't help. Background of menus does change to something weird, but the fonts remain absolutely the same.

### File Attachments

1) [uppide.png](#), downloaded 994 times

**Core01**

- Core
- plugin\z
- <prj-aux>
- <ide-aux>
- <temp-aux>

main.cpp

main.cpp

```
#include <Core/Core.h>

using namespace Upp;

CONSOLE_APP_MAIN
{
    String a;
    a = "Hello";
    DUMP(a);
    a = a + " world";
    DUMP(a);
    a.Cat('!');
    DUMP(a);
    a.Cat("ABCDEFGHIJKLM", 3);
    DUMP(a);
    a.Clear();
    for(int i = 0; i < 10; i++)
        a << i << ", ";
    DUMP(a);
    DUMP(String().Cat() << "Number");
    a = "0123456789";
    DUMP(a.GetLength());
    a.Insert(6, "<inserted>");
    DUMP(a);
    a.Remove(2, 2);
    DUMP(a);
    DUMP(a.Find('e'));
    DUMP(a.ReverseFind('e'));
    DUMP(a.StartsWith("ABC"));
    DUMP(a.EndsWith("KLM"));
    DUMP(a.Find("ted"));
    DUMP(a.Mid(3, 3));
    DUMP(a.Mid(3));
    a.Trim(4);
    DUMP(a);
    DUMP(a[0]);
    DUMP(*a);
    DUMP(a);
}
```

Settings dialog box:

- Fonts
- Syntax highlighting
- Mute sounds
- Wrap console text
- Browse code on single click
- Automatic assist
- Comment out default param
- Esc closes browser
- Show status bar
- Menu and toolbar in a row
- Show splash screen
- HYDRAl threads:
- GUI theme:

```
----- Core ( GCC DEBUG SHARED BLITZ LINUX ) ( 1 / 2 )
cd /home/ped/upp/uppsrc/Core
----- Core01 ( MAIN GCC DEBUG SHARED BLITZ LINUX ) ( 2 / 2 )
cd /home/ped/upp/tutorial/Core01
/home/ped/upp/out/GCC.Debug.Shared/Core01 (761919 B) is up to date.

OK. (0:00.13)
```