
Subject: TabCtrl raises Assert in Array [BUG]

Posted by [fallingdutch](#) on Sat, 04 Nov 2006 23:41:57 GMT

[View Forum Message](#) <> [Reply to Message](#)

the following code of Accept in TabCtrl assumes that a Tab is present, but what if no tab was added to the TabCtrl?

```
bool TabCtrl::Accept() {
    int ii=Get(); //ii is -1 if no Tab is present
    if(accept_current)
        return !tab[ii].slave || tab[ii].slave->Accept(); //-1 in Array raises Assertion
    for(int i=0;i<tab.GetCount();i++) {
        //in here no Problems at all
    }
    Set(ii); //-1 will make troubles here, too
    return true;
}
```

so what about adding these lines before everything:

```
if(!tab.GetCount())
    return true;
```

Bas

Subject: Re: TabCtrl raises Assert in Array [BUG]

Posted by [mirek](#) on Sun, 05 Nov 2006 08:59:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

Well, this is very rare case, but you are right - correct is to test here. Applied.

Mirek

Subject: Re: TabCtrl raises Assert in Array [BUG]

Posted by [fallingdutch](#) on Sun, 05 Nov 2006 09:26:56 GMT

[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Sun, 05 November 2006 09:59Well, this is very rare case, but you are right - correct is to test here. Applied.

But I had that case

Bas
