
Subject: Upp .dll
Posted by [nlneilson](#) on Thu, 01 Apr 2010 13:18:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

I have several apps in C++.
Using Upp is very good and and easy, with help of course.

I would like to pull some functions out of a Java app and have them as a .dll. The Java app also uses jogl.dll.

Most of the technical issues on linking will be with the java app but what issues may I run into as far as a .dll made with Upp?

Subject: Re: Upp .dll
Posted by [cbpporter](#) on Thu, 01 Apr 2010 13:22:09 GMT
[View Forum Message](#) <> [Reply to Message](#)

Well I have tried before creating a DLL from U++ but for me it did not work with Java. I tried making a simple C++ client for the DLL and it worked, but when the same function was called from Java it failed.

I hope you have more luck with this.

Subject: Re: Upp .dll
Posted by [nlneilson](#) on Thu, 01 Apr 2010 15:17:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

That could be the biggest problem, C++ to Java.
The jogl.dll is also java code AFAIK, it is from Sun.

Using a socket in C++, Upp or Python works with a Java app but for several functions a more direct link would be preferred.

Subject: Re: Upp .dll
Posted by [nlneilson](#) on Fri, 02 Apr 2010 00:01:55 GMT
[View Forum Message](#) <> [Reply to Message](#)

This or something similar is probably the way to do it.
http://www.math.ucla.edu/~anderson/JAVAclass/JavaInterface/J_avalInterface.html

Subject: Re: Upp .dll
Posted by [cbpporter](#) on Fri, 02 Apr 2010 07:37:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

As always I have sources all over the place if I don't use version control, but I think I found some of my earlier attempts. Seems quite out of date relative to final attempts though.

File attached.

File Attachments

1) [MyApps.rar](#), downloaded 397 times

Subject: Re: Upp .dll

Posted by [nlneilson](#) on Fri, 02 Apr 2010 12:26:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

I looked at the code in MyApps.rar but didn't understand it.

I found this on the JNI (Java Native Interface)

<http://java.sun.com/docs/books/jni/html/intro.html>

"It is a tutorial intended for the beginning users who are unfamiliar with the JNI."

Just what I need, sometimes it is hard to understand new concepts until the basics are written down and there is code I can try, debug to step through and make small changes to simple existing code that works.

Chapter 2 has the Java app code, HelloWorld.java, the C header code, HelloWorld.h for the connection or link to the Hello-World.dll.

Subject: Re: Upp .dll

Posted by [nlneilson](#) on Sat, 03 Apr 2010 01:48:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

I tried this example.

<http://java.sun.com/docs/books/jni/html/intro.html>

On the command got up to compiling the HelloWorld.c code.

```
cl -Ic:\java\include -Ic:\java\include\win32 -MD -LD HelloWorld.c -FeHelloWorld.dll
```

and get this error:

HelloWorld.c

HelloWorld.c(1) : fatal error C1083: Cannot open include file: 'jni.h': No such file or directory

I have included in the path C:\Program Files\Java\jdk1.7.0\include where jni.h is located

```
PATH=C:\Windows\system32;
```

```
C:\Windows;
```

```
C:\Windows\System32\Wbem;
```

```
C:\Program Files\Java\jdk1.7.0\bin;
```

```
C:\Program Files\Java\jdk1.7.0\include;
```

C:\Program Files\Microsoft Visual Studio 9.0\VC\bin;
C:\Program Files\Microsoft Visual Studio 9.0\Common7\IDE
(the path is all one line)

With cbpporter's MyApp.s.rar I get the same error when running in the IDE:

C:\MyApps\jni\main.cpp(2) : fatal error C1083: Cannot open include file: 'jni.h': No such file or directory

How do I get the jni.h seen in the IDE (or on the command line)?

Subject: Re: Upp .dll

Posted by [nneilson](#) on Sun, 04 Apr 2010 05:19:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

Gave up on JNI.

Too many links on the web re include files that were not solved.

Including the directories in the Win PATH didn't help.

After changing the command line include

-Ic:"Program Files"\Java\jdk1.7.0\include the double quotes still split between Program and Files

Copied the Java directory to C:\

-Ic:\Java\jdk1.7.0\include finds jni.h but

-Ic:\Java\jdk1.7.0\win32 does not find jni_md.h

In the PATH is:

C:\Program Files\Microsoft Visual Studio 9.0\VC\bin;C:\Program Files\Microsoft Visual Studio 9.0\Common7\IDE;C:\Program Files\Microsoft Visual Studio 9.0\VC\include

"Cannot open include file: 'stdio.h': No such file or directory

I looked at JNA but will try GCC/GCJ CNI.

Subject: Re: Upp .dll

Posted by [cbpporter](#) on Mon, 05 Apr 2010 12:47:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

You must configure the include path from TheIDE or your command line. I has nothing to do with PATH.

I don't know exactly how the command line must look, but -Ic:"Program

Files"\Java\jdk1.7.0\include seems wrong to me. Try

-I"c:\Program Files\Java\jdk1.7.0\include".

Subject: Re: Upp .dll

Posted by [nneilson](#) on Mon, 05 Apr 2010 13:45:43 GMT

[View Forum Message](#) <> [Reply to Message](#)

"You must configure the include path from TheIDE on your command line." I will need to find out how that is done. For Eclipse and MSVC that was done in the IDE.

I tried several different ways for the double quotes, it still split between Program and Files.

"The Visual Studio 2005 Command Prompt automatically sets up the correct path to the Visual C++ compiler and any needed libraries, so it is used instead of the regular Command Prompt window."

<http://msdn.microsoft.com/en-us/library/ms235639%28VS.80%29.aspx>

This was important for the C++ includes, admin. privileges (even though UAC is off). Then they compiled OK with:

```
cl -I"c:\Program Files\Java\jdk1.7.0\include" -I"c:\Program Files\Java\jdk1.7.0\include\win32" -MD  
-LD HelloWorld.c -FeHelloWorld.dll
```

The files look good, have not been able to run it yet.

Apparently GCC/GCJ JNI and Swig depend on the JNI or similar.
It is just the interface from Java to Native code.

The necessary changes to the JNI files can be compiled on the command line.
It would be good to do it in theIDE.

Once this is set up a C++ .dll can be made with Upp.
The Java app code will be changed with Eclipse.

File Attachments

1) [Hello.zip](#), downloaded 383 times

Subject: Re: Upp .dll

Posted by [nneilson](#) on Mon, 05 Apr 2010 22:41:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

Previously, after copying the Java directory, it compiled with:

```
cl -Ic:\Java\jdk1.7.0\include -Ic:\Java\jdk1.7.0\include\win32 -MD -LD HelloWorld.c  
-FeHelloWorld.dll
```

My PATH originally was: C:\Windows\system32;C:\Windows

I added the Java but that probably was not necessary as that worked before.

After running the MS SDK CMD Shell (which is SetEnv.cmd) this is the PATH, what a mess.

PATH=C:\Program Files\Microsoft Visual Studio 9.0\VC\Bin;C:\Program Files\Microsoft Visual Studio 9.0\VC\vcpackages;C:\Program Files\Microsoft Visual Studio 9.0

\\Common7\\IDE;C:\\Program Files\\Microsoft SDKs\\Windows\\v7.0\\Bin;C:\\Windows\\Microso
ft.NET\\Framework\\v3.5;C:\\Windows\\Microsoft.NET\\Framework\\v2.0.50727;C:\\Program F
iles\\Microsoft SDKs\\Windows\\v7.0\\Setup;C:\\Windows\\system32;C:\\Windows;C:\\Wi ndows
\\System32\\Wbem;C:\\Java\\jdk1.7.0\\bin;C:\\Java\\jdk1.7.0\\include ;C:\\Program Files\\Mi
crosoft Visual Studio 9.0\\VC\\bin;C:\\Program Files\\Microsoft Visual Studio 9.0\\Co
mmon7\\IDE;C:\\Program Files\\Microsoft Visual Studio 9.0\\VC\\include

After removing any changes to the original and re doing the javac, javah and cl and trying java HelloWorld:

Exception in thread "main" java.lang.UnsatisfiedLinkError: C:\\MyApps\\JN\\lex\\HelloWorld.dll: Can't find dependent libraries

```
at java.lang.ClassLoader$NativeLibrary.load(Native Method)
at java.lang.ClassLoader.loadLibrary0(ClassLoader.java:1922)
at java.lang.ClassLoader.loadLibrary(ClassLoader.java:1848)
at java.lang.Runtime.loadLibrary0(Runtime.java:840)
at java.lang.System.loadLibrary(System.java:1078)
at HelloWorld.<clinit>(HelloWorld.java:7)
```

line 7: printf("Hello World!\n");
then the C/C++ cl compiled .h/.dll

Attached is the code as in the original example.

File Attachments

1) [Hello.zip](#), downloaded 596 times

Subject: Re: Upp .dll

Posted by [nneilson](#) on Tue, 06 Apr 2010 04:07:01 GMT

[View Forum Message](#) <> [Reply to Message](#)

Downloaded Dependency Walker (depends.exe)

<http://dependencywalker.com/>

Running this on HelloWorld.dll

MSVCR90.DLL cannot be found

That is in the Microsoft Visual C++ 2008 Redistributable Package

<http://www.microsoft.com/downloads/details.aspx?familyid=9B2DA534-3E03-4391-8A4D-074B9F2BC1BF&displaylang=en>

It is not included in the links provided when installing Upp, I left the Redistributable selected but it was not in there, I may be wrong on this.

I added this to my PATH:

C:\\Program Files\\Microsoft Visual Studio 9.0\\VC\\redist\\x86\\Microsoft.VC90.CRT

depends.exe finds MSVCR90.DLL but "java HelloWorld" now gives this error:

R6034

An application has made an attempt to load the C runtime library incorrectly

I tried copying MSVCR90.DLL to the same directory as HelloWorld.dll and got the same error.

Subject: Re: Upp .dll

Posted by [mr_ped](#) on Tue, 06 Apr 2010 07:58:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

TheIDE -> setup -> build methods -> INCLUDE paths

Subject: Re: Upp .dll

Posted by [nlneilson](#) on Tue, 06 Apr 2010 08:24:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

mr_ped wrote on Tue, 06 April 2010 09:58TheIDE -> setup -> build methods -> INCLUDE paths
Could this be limited to just one project?

Subject: Re: Upp .dll

Posted by [mr_ped](#) on Tue, 06 Apr 2010 08:48:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

TheIDE -> project -> package organizer -> select the package which should be affected, right click into the large area on right, select "New internal includes..", enter directory's full path.

update:

It will affect compilation of all project's packages, no matter where you put that setting, but if the other packages are used in different projects, they will be compiled without it, so make sure you put that setting into every package which actually really needs that include path, it will carry it over to all projects where that package is used.

Subject: Re: Upp .dll

Posted by [nlneilson](#) on Tue, 06 Apr 2010 13:33:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

R6034

An application has made an attempt to load the C runtime library incorrectly

This error needs a manifest embedded in the .dll

<http://msdn.microsoft.com/en-us/library/ms235591%28v=VS.80%29.aspx>

Is there a way to do this in Upp?

Subject: Re: Upp .dll

Posted by [nlneilson](#) on Mon, 19 Apr 2010 14:20:41 GMT

[View Forum Message](#) <> [Reply to Message](#)

Got the basics of a JNI working from the command line.
Getting the depends paths was a hassle as in the previous posts.
To embed the manifest in the .dll it can be done with mt.exe, which
is included in the MS SDK when installing U++

Here is a .zip with everything. The HW.bat will do it all except
setting the paths.

Making a .dll in U++ and then embedding the manifest with mt.exe may work after changing the
.java and .h files as required for an app.

File Attachments

1) [JNIex.zip](#), downloaded 375 times

Subject: Re: Upp .dll

Posted by [nlneilson](#) on Mon, 19 Apr 2010 23:56:08 GMT

[View Forum Message](#) <> [Reply to Message](#)

With the ability to set the paths in the IDE as mr_ped mentioned this should be much easier than
adding to PATH.
