
Subject: 'Upp::Value::Value' : ambiguous call to overloaded function,why?

Posted by [wangdahu](#) on Mon, 25 Mar 2013 01:29:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

the info below is the compile error ,how to fix it??

```
----- CtrlLib ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 1 / 10)
----- GridCtrl ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 2 / 10)
----- CtrlCore ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 3 / 10)
----- Draw ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 4 / 10)
----- plugin/bmp ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 5 / 10)
----- RichText ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 6 / 10)
----- Core ( GUI MSC8 DEBUG DEBUG_FULL BLITZ WIN32 MSC ) ( 7 / 10)
```

Cpu.cpp

Mt.cpp

OL_Set.cpp

sheap.cpp

String.cpp

WString.cpp

StrUtil.cpp

Bom.cpp

NetNode.cpp

Path.cpp

Stream.cpp

App.cpp

Log.cpp

BlockStream.cpp

Ini.cpp

Debug.cpp

mathutil.cpp

Util.cpp

LocalProcess.cpp

Random.cpp

Hash.cpp

Vcont.cpp

TimeDate.cpp

Callback.cpp

ValueUtil.cpp

g:\upp\uppsrc\core\Topt.h(146) : error C2668: 'Upp::Value::Value' : ambiguous call to overloaded function

g:\upp\uppsrc\core\Value.h(237): could be 'Upp::Value::Value(void)'

g:\upp\uppsrc\core\Value.h(207): or 'Upp::Value::Value(const char *)'

while trying to match the argument list '(void)'

g:\upp\uppsrc\core\Vcont.hpp(141) : see reference to function template instantiation 'void

Upp::ConstructArray<T>(T *,const T *)' b

eing compiled

with

[

```
    T=Upp::Value
]
g:\upp\uppsrc\core\Vcont.hpp(133) : while compiling class template member function 'void
Upp::Vector<T>::SetCount(int)'
with
[
    T=Upp::Value
]
g:\upp\uppsrc\core\ValueUtil.h(201) : see reference to class template instantiation
'Upp::Vector<T>' being compiled
with
[
    T=Upp::Value
]
Value.cpp
Convert.cpp
Format.cpp
Gtypes.cpp
Color.cpp
Lang.cpp
t.cpp
parser.cpp
LangInfo.cpp
XML.cpp
Xmlize.cpp
Uuid.cpp
JSON.cpp
Ptr.cpp
z.cpp
CoWork.cpp
MD5.cpp
Topic.cpp
SHA1.cpp
Socket.cpp
InetUtil.cpp
Http.cpp
Dli.cpp
Win32Util.cpp
Core: 49 file(s) built in (0:29.89), 610 msec / file, duration = 30828 msec, parallelization 100%

There were errors. (0:30.92)
```

Subject: Re: 'Upp::Value::Value' : ambiguous call to overloaded function,why?
Posted by [wangdahu](#) on Mon, 25 Mar 2013 10:24:16 GMT
[View Forum Message](#) <> [Reply to Message](#)

there is no such problem with MSC10, It seems that Ultimate++ did not support MSC8 well
