

---

Subject: Problems compiling packages/examples under Ubuntu

Posted by [irrdev](#) on Fri, 09 Nov 2007 12:28:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

OK, I downloaded the latest deb installer for Linux, and ran the installer. Everything appeared fine, and I was able to successfully run the IDE. When I selected one of the examples to compile, however, I received many linker errors. I have tried every example so far, and nothing works. I am not new to using Ultimate++, but have been only running it on Windows XP. I copied the errors and pasted them below. It looks like I may have the wrong gtk libraries installed, but the deb installer should have fixed that. Here is the output:

```
----- CtrlLib ( GUI GCC LINUX ) ( 1 / 9 )
----- CtrlCore ( GUI GCC LINUX ) ( 2 / 9 )
----- RichText ( GUI GCC LINUX ) ( 3 / 9 )
----- PdfDraw ( GUI GCC LINUX ) ( 4 / 9 )
----- Draw ( GUI GCC LINUX ) ( 5 / 9 )
----- Core ( GUI GCC LINUX ) ( 6 / 9 )
----- plugin/bmp ( GUI GCC LINUX ) ( 7 / 9 )
----- plugin/png ( GUI GCC LINUX ) ( 8 / 9 )
----- Button ( GUI MAIN GCC LINUX ) ( 9 / 9 )
```

Button.cpp

Button: 1 file(s) built in (0:27.56), 27565 msecs / file, duration = 27779 msecs

Linking...

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(CrGICur.o): In function `open\_library':

/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/CrGICur.c:72: warning: Using 'dlopen' in statical

ly linked applications requires at runtime the shared libraries from the glibc version used for linking

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g\_get\_any\_init\_do': (.text+0x1472): warning: Using 'getpwuid' in statically linked applications requires at runtime the shared li

braries from the glibc version used for linking

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g\_get\_any\_init\_do': (.text+0x1465): warning: Using 'setpwent' in statically linked applications requires at runtime the shared li

braries from the glibc version used for linking

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g\_get\_any\_init\_do': (.text+0x147a): warning: Using 'endpwent' in statically linked applications requires at runtime the shared li

braries from the glibc version used for linking

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(GetDflt.o): In function `GetHomeDir':

/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/GetDflt.c:133: warning: Using 'getpwnam\_r' in sta

tically linked applications requires at runtime the shared libraries from the glibc version used for link

ing

/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/GetDflt.c:135: warning: Using 'getpwuid\_r' in sta

tically linked applications requires at runtime the shared libraries from the glibc version used for

```

link
ing
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(x11_trans.o): In function
`_X11TransSocketOpen':
/usr/include/X11/Xtrans/Xtranssock.c:472: warning: Using 'getaddrinfo' in statically linked
applications requires at runtime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(x11_trans.o): In function
`UnixHostReallyLocal':
/usr/include/X11/Xtrans/Xtranssock.c:1893: warning: Using 'gethostbyname' in statically linked
applications requires at runtime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(x11_trans.o): In function
`_X11TransSocketINETConnect':
/usr/include/X11/Xtrans/Xtranssock.c:1678: warning: Using 'getservbyname' in statically linked
applications requires at runtime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkdisplay-x11.o): In function
`gdk_display_open':
(.text+0xfbd): undefined reference to `XCompositeQueryExtension'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkdisplay-x11.o): In function
`gdk_display_open':
(.text+0xfe4): undefined reference to `XDamageQueryExtension'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkevents-x11.o): In function
`gdk_event_translate':
(.text+0x1947): undefined reference to `XDamageSubtract'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window_set_composited':
(.text+0xbb): undefined reference to `XCompositeRedirectWindow'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window_set_composited':
(.text+0xcf): undefined reference to `XDamageCreate'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window_set_composited':
(.text+0xf3): undefined reference to `XCompositeUnredirectWindow'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window_set_composited':
(.text+0x102): undefined reference to `XDamageDestroy'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
`real_save_jpeg

```

':  
(.text+0x3a6): undefined reference to `jpeg\_std\_error'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x3e8): undefined reference to `jpeg\_CreateCompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x47b): undefined reference to `jpeg\_set\_defaults'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x495): undefined reference to `jpeg\_set\_quality'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x4a5): undefined reference to `jpeg\_start\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x531): undefined reference to `jpeg\_write\_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x559): undefined reference to `jpeg\_finish\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x561): undefined reference to `jpeg\_destroy\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x5fa): undefined reference to `jpeg\_destroy\_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`real\_save\_jpeg  
':  
(.text+0x694): undefined reference to `jpeg\_stdio\_dest'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_lines':  
(.text+0xe8d): undefined reference to `jpeg\_read\_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x10ec): undefined reference to `jpeg\_start\_output'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp

eg\_image\_load\_increment':  
(.text+0x112e): undefined reference to `jpeg\_finish\_output'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x1147): undefined reference to `jpeg\_input\_complete'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x1156): undefined reference to `jpeg\_input\_complete'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x120f): undefined reference to `jpeg\_save\_markers'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x121f): undefined reference to `jpeg\_read\_header'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x129a): undefined reference to `jpeg\_calc\_output\_dimensions'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x12d0): undefined reference to `jpeg\_calc\_output\_dimensions'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load\_increment':  
(.text+0x1361): undefined reference to `jpeg\_start\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_stop\_load':  
(.text+0x1507): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_stop\_load':  
(.text+0x153c): undefined reference to `jpeg\_finish\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x15ad): undefined reference to `jpeg\_std\_error'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x160c): undefined reference to `jpeg\_CreateDecompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp

eg\_image\_load':  
(.text+0x1666): undefined reference to `jpeg\_resync\_to\_restart'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x169e): undefined reference to `jpeg\_save\_markers'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x16ae): undefined reference to `jpeg\_read\_header'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x16bf): undefined reference to `jpeg\_start\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x1783): undefined reference to `jpeg\_read\_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x17d2): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x1820): undefined reference to `jpeg\_finish\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x1828): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_load':  
(.text+0x1904): undefined reference to `jpeg\_destroy\_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_begin\_load':  
(.text+0x19d6): undefined reference to `jpeg\_CreateDecompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_begin\_load':  
(.text+0x1a13): undefined reference to `jpeg\_std\_error'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk\_pixbuf\_\_jp  
eg\_image\_begin\_load':  
(.text+0x1a53): undefined reference to `jpeg\_resync\_to\_restart'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_pop\_handlers':

(.text+0x1e4): undefined reference to `TIFFSetErrorHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_pop\_handlers':

(.text+0x1f1): undefined reference to `TIFFSetWarningHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_push\_handlers':

(.text+0x234): undefined reference to `TIFFSetErrorHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_push\_handlers':

(.text+0x245): undefined reference to `TIFFSetWarningHandler'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x3ed): undefined reference to `TIFFClientOpen'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x487): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x49e): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x4b6): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x4d6): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x4ed): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o):(.text+0x50c): more undefined references to `TIFFSetField' follow

/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x592): undefined reference to `TIFFWriteScanline'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x5d6): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x600): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x617): undefined reference to `TIFFSetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_save\_to\_callback':

(.text+0x624): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_image\_parse':

(.text+0x96b): undefined reference to `TIFFGetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_image\_parse':

(.text+0x9d0): undefined reference to `TIFFGetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_image\_parse':

(.text+0xac5): undefined reference to `TIFFGetField'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `tiff\_image\_parse':

(.text+0xb39): undefined reference to `TIFFReadRGBAImageOriented'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_stop\_load':

(.text+0xe35): undefined reference to `TIFFClientOpen'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_stop\_load':

(.text+0xe7d): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_load':

(.text+0x1046): undefined reference to `TIFFFdOpen'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk\_pixbuf-2.0.a(io-tiff.o): In function `gdk\_pixbuf\_\_tiff\_image\_load':

(.text+0x10a2): undefined reference to `TIFFClose'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-fcfontm  
ap.o): In function `pango\_cairo\_fc\_font\_map\_get\_type':

(.text+0x7a): undefined reference to `pango\_fc\_font\_map\_get\_type'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-fcfontm  
ap.o): In function `pango\_cairo\_fc\_font\_map\_set\_resolution':

(.text+0x16e): undefined reference to `pango\_fc\_font\_map\_cache\_clear'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-fcfont.  
o): In function `pango\_cairo\_fc\_font\_get\_type':

(.text+0x6a): undefined reference to `pango\_fc\_font\_get\_type'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpangocairo-1.0.a(libpangocairo\_1\_0\_la-pangocairo-fcfont.  
o): In function `pango\_cairo\_fc\_font\_create\_metrics\_for\_context':

(.text+0x335): undefined reference to `pango\_fc\_font\_create\_metrics\_for\_context'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpango-1.0.a(libpango\_thai\_lang\_la-thai-lang.o): In funct  
ion `thai\_engine\_break':

(.text+0x124): undefined reference to `th\_uni2tis'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libpango-1.0.a(libpango\_thai\_lang\_la-thai-lang.o): In funct  
ion `thai\_engine\_break':

(.text+0x173): undefined reference to `th\_brk'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(ConnDis.o): In function `GetAuthorization':  
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../../../src/ConnDis.c:1253: undefined reference to

`XauDispos

eAuth'

/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/ConnDis.c:1058: undefined reference to

`XauGetBes

tAuthByAddr'

/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/ConnDis.c:1197: undefined reference to

`XdmcPWrap

,

collect2: ld returned 1 exit status

There were errors. (2:05.02)

Any help would be appreciated.

---