
Subject: Problems compiling packages/examples under Ubuntu

Posted by [irrdev](#) on Fri, 09 Nov 2007 12:28:17 GMT

[View Forum Message](#) <> [Reply to Message](#)

OK, I downloaded the latest deb installer for Linux, and ran the installer. Everything appeared fine, and I was able to successfully run the IDE. When I selected one of the examples to compile, however, I received many linker errors. I have tried every example so far, and nothing works. I am not new to using Ultimate++, but have been only running it on Windows XP. I copied the errors and pasted them below. It looks like I may have the wrong gtk libraries installed, but the deb installer should have fixed that. Here is the output:

```
----- CtrlLib ( GUI GCC LINUX ) (1 / 9)
----- CtrlCore ( GUI GCC LINUX ) (2 / 9)
----- RichText ( GUI GCC LINUX ) (3 / 9)
----- PdfDraw ( GUI GCC LINUX ) (4 / 9)
----- Draw ( GUI GCC LINUX ) (5 / 9)
----- Core ( GUI GCC LINUX ) (6 / 9)
----- plugin\ bmp ( GUI GCC LINUX ) (7 / 9)
----- plugin\ png ( GUI GCC LINUX ) (8 / 9)
----- Button ( GUI MAIN GCC LINUX ) (9 / 9)
```

Button.cpp

Button: 1 file(s) built in (0:27.56), 27565 msecs / file, duration = 27779 msecs

Linking...

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(CrGICur.o): In function `open_library':
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/CrGICur.c:72: warning: Using 'dlopen' in
statical
```

ly linked applications requires at runtime the shared libraries from the glibc version used for
linking

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g_get_any_init_do':
(.text+0x1472): warning: Using 'getpwuid' in statically linked applications requires at runtime the
shared li
```

braries from the glibc version used for linking

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g_get_any_init_do':
(.text+0x1465): warning: Using 'setpwent' in statically linked applications requires at runtime the
shared li
```

braries from the glibc version used for linking

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libglib-2.0.a(gutils.o): In function `g_get_any_init_do':
(.text+0x147a): warning: Using 'endpwent' in statically linked applications requires at runtime the
shared li
```

braries from the glibc version used for linking

```
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(GetDflt.o): In function `GetHomeDir':
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/GetDflt.c:133: warning: Using 'getpwnam_r'
in sta
```

tically linked applications requires at runtime the shared libraries from the glibc version used for
link

ing

```
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/GetDflt.c:135: warning: Using 'getpwuid_r'
in sta
```

tically linked applications requires at runtime the shared libraries from the glibc version used for

```
link
  ing
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(x11_trans.o): In function
`_X11TransSocketOpen':
/usr/include/X11/Xtrans/Xtranssock.c:472: warning: Using 'getaddrinfo' in statically linked
applications requ
ires at runtime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(x11_trans.o): In function
`UnixHostReallyLocal':
/usr/include/X11/Xtrans/Xtranssock.c:1893: warning: Using 'gethostbyname' in statically linked
applications r
equires at runtime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libX11.a(x11_trans.o): In function
`_X11TransSocketINETConn
ect':
/usr/include/X11/Xtrans/Xtranssock.c:1678: warning: Using 'getservbyname' in statically linked
applications r
equires at runtime the shared libraries from the glibc version used for linking
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkdisplay-x11.o): In function
`gdk_displa
y_open':
(.text+0xfb0): undefined reference to `XCompositeQueryExtension'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkdisplay-x11.o): In function
`gdk_displa
y_open':
(.text+0xfe4): undefined reference to `XDamageQueryExtension'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkevents-x11.o): In function
`gdk_event_t
ranslate':
(.text+0x1947): undefined reference to `XDamageSubtract'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window
ing_window_set_composed':
(.text+0xbb0): undefined reference to `XCompositeRedirectWindow'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window
ing_window_set_composed':
(.text+0xcf0): undefined reference to `XDamageCreate'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window
ing_window_set_composed':
(.text+0xf30): undefined reference to `XCompositeUnredirectWindow'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk-x11-2.0.a(gdkwindow-x11.o): In function
`_gdk_window
ing_window_set_composed':
(.text+0x1020): undefined reference to `XDamageDestroy'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
`real_save_jpeg
```

```
':  
(.text+0x3a6): undefined reference to `jpeg_std_error'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x3e8): undefined reference to `jpeg_CreateCompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x47b): undefined reference to `jpeg_set_defaults'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x495): undefined reference to `jpeg_set_quality'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x4a5): undefined reference to `jpeg_start_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x531): undefined reference to `jpeg_write_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x559): undefined reference to `jpeg_finish_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x561): undefined reference to `jpeg_destroy_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x5fa): undefined reference to `jpeg_destroy_compress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'real_save_jpeg'  
':  
(.text+0x694): undefined reference to `jpeg_stdio_dest'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'gdk_pixbuf_jp  
eg_image_load_lines':  
(.text+0xe8d): undefined reference to `jpeg_read_scanlines'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'gdk_pixbuf_jp  
eg_image_load_increment':  
(.text+0x10ec): undefined reference to `jpeg_start_output'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
'gdk_pixbuf_jp
```

```
eg_image_load_increment':  
(.text+0x112e): undefined reference to `jpeg_finish_output'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load_increment':  
(.text+0x1147): undefined reference to `jpeg_input_complete'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load_increment':  
(.text+0x1156): undefined reference to `jpeg_input_complete'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load_increment':  
(.text+0x120f): undefined reference to `jpeg_save_markers'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load_increment':  
(.text+0x121f): undefined reference to `jpeg_read_header'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load_increment':  
(.text+0x129a): undefined reference to `jpeg_calc_output_dimensions'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load_increment':  
(.text+0x12d0): undefined reference to `jpeg_calc_output_dimensions'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_stop_load':  
(.text+0x1361): undefined reference to `jpeg_start_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_stop_load':  
(.text+0x1507): undefined reference to `jpeg_destroy_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load':  
(.text+0x153c): undefined reference to `jpeg_finish_decompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load':  
(.text+0x15ad): undefined reference to `jpeg_std_error'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp  
eg_image_load':  
(.text+0x160c): undefined reference to `jpeg_CreateDecompress'  
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function  
`gdk_pixbuf__jp
```

eg_image_load':
(.text+0x1666): undefined reference to `jpeg_resync_to_restart'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x169e): undefined reference to `jpeg_save_markers'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x16ae): undefined reference to `jpeg_read_header'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x16bf): undefined reference to `jpeg_start_decompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x1783): undefined reference to `jpeg_read_scanlines'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x17d2): undefined reference to `jpeg_destroy_decompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x1820): undefined reference to `jpeg_finish_decompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x1828): undefined reference to `jpeg_destroy_decompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_load':
(.text+0x1904): undefined reference to `jpeg_destroy_decompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_begin_load':
(.text+0x19d6): undefined reference to `jpeg_CreateDecompress'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_begin_load':
(.text+0x1a13): undefined reference to `jpeg_std_error'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-jpeg.o): In function
'gdk_pixbuf__jp
eg_image_begin_load':
(.text+0x1a53): undefined reference to `jpeg_resync_to_restart'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_pop_handlers':

(.text+0x1e4): undefined reference to `TIFFSetErrorHandler'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_pop_handlers':
(.text+0x1f1): undefined reference to `TIFFSetWarningHandler'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_push_handlers':
(.text+0x234): undefined reference to `TIFFSetErrorHandler'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_push_handlers':
(.text+0x245): undefined reference to `TIFFSetWarningHandler'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x3ed): undefined reference to `TIFFClientOpen'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x487): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x49e): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x4b6): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x4d6): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x4ed): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o):(.text+0x50c): more
undefined
d references to `TIFFSetField' follow
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x592): undefined reference to `TIFFWriteScanline'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x5d6): undefined reference to `TIFFClose'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x600): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x617): undefined reference to `TIFFSetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_save_to_callback':
(.text+0x624): undefined reference to `TIFFClose'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_image_parse':

(.text+0x96b): undefined reference to `TIFFGetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_image_parse':
(.text+0x9d0): undefined reference to `TIFFGetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_image_parse':
(.text+0xac5): undefined reference to `TIFFGetField'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `tiff_image_parse':
(.text+0xb39): undefined reference to `TIFFReadRGBAIImageOriented'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_stop_load':
(.text+0xe35): undefined reference to `TIFFClientOpen'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_stop_load':
(.text+0xe7d): undefined reference to `TIFFClose'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_load':
(.text+0x1046): undefined reference to `TIFFFdOpen'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libgdk_pixbuf-2.0.a(io-tiff.o): In function `gdk_pixbuf_tiff_image_load':
(.text+0xa2): undefined reference to `TIFFClose'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libpangocairo-1.0.a(libpangocairo_1_0_la-pangocairo-fcfontm.ap.o): In function `pango_cairo_fc_font_map_get_type':
(.text+0x7a): undefined reference to `pango_fc_font_map_get_type'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libpangocairo-1.0.a(libpangocairo_1_0_la-pangocairo-fcfontm.ap.o): In function `pango_cairo_fc_font_map_set_resolution':
(.text+0x16e): undefined reference to `pango_fc_font_map_cache_clear'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libpangocairo-1.0.a(libpangocairo_1_0_la-pangocairo-fcfont.o): In function `pango_cairo_fc_font_get_type':
(.text+0x6a): undefined reference to `pango_fc_font_get_type'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libpangocairo-1.0.a(libpangocairo_1_0_la-pangocairo-fcfont.o): In function `pango_cairo_fc_font_create_metrics_for_context':
(.text+0x335): undefined reference to `pango_fc_font_create_metrics_for_context'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libpango-1.0.a(libpango_thai_lang_la-thai-lang.o): In function `thai_engine_break':
(.text+0x124): undefined reference to `th_uni2tis'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libpango-1.0.a(libpango_thai_lang_la-thai-lang.o): In function `thai_engine_break':
(.text+0x173): undefined reference to `th_brk'
/usr/lib/gcc/i486-linux-gnu/4.1.3/../../../../../lib/libX11.a(ConnDis.o): In function `GetAuthorization':
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/ConnDis.c:1253: undefined reference to

```
`XauDispos
eAuth'
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/ConnDis.c:1058: undefined reference to
`XauGetBes
tAuthByAddr'
/build/buildd/libx11-1.1.1/obj-i486-linux-gnu/src/../../src/ConnDis.c:1197: undefined reference to
`XdmcpWrap
'

collect2: ld returned 1 exit status
```

There were errors. (2:05.02)

Any help would be appreciated.