
Subject: Re: RectTracker filled with black
Posted by [mrjt](#) on Wed, 20 Feb 2008 09:55:49 GMT
[View Forum Message](#) <> [Reply to Message](#)

This would be my suggested version:

```
void RectTracker::MouseMove(Point, dword)
{
    Point p = GetMousePos();
    rect = org;
    if(tx == ALIGN_CENTER && ty == ALIGN_CENTER) {
        int x = org.left - op.x + p.x;
        int y = org.top - op.y + p.y;
        if(x + org.Width() > maxrect.right)
            x = maxrect.right - org.Width();
        if(x < maxrect.left)
            x = maxrect.left;
        if(y + org.Height() > maxrect.bottom)
            y = maxrect.bottom - org.Height();
        if(y < maxrect.top)
            y = maxrect.top;
        rect = RectC(x, y, org.Width(), org.Height());
    }
    else {
        if(tx == ALIGN_LEFT) {
            rect.left = max(org.left - op.x + p.x, maxrect.left);
            rect.left = minmax(rect.left, rect.right - maxsize.cx, rect.right - minsize.cx);
        }
        if(tx == ALIGN_RIGHT) {
            rect.right = min(org.right - op.x + p.x, maxrect.right);
            rect.right = minmax(rect.right, rect.left + minsize.cx, rect.left + maxsize.cx);
        }
        if(ty == ALIGN_TOP) {
            rect.top = max(org.top - op.y + p.y, maxrect.top);
            rect.top = minmax(rect.top, rect.bottom - maxsize.cy, rect.bottom - minsize.cy);
        }
        if(ty == ALIGN_BOTTOM) {
            rect.bottom = min(org.bottom - op.y + p.y, maxrect.bottom);
            rect.bottom = minmax(rect.bottom, rect.top + minsize.cy, rect.top + maxsize.cy);
        }
        if(tx == ALIGN_NULL) {
            rect.right = min(org.right - op.x + p.x, maxrect.right);
            if (rect.right < rect.left) {
                Swap(rect.right, rect.left);
                rect.InflateHorz(1);
            }
        }
        if(ty == ALIGN_NULL) {
            rect.bottom = min(org.bottom - op.y + p.y, maxrect.bottom);
        }
    }
}
```

```

if (rect.bottom < rect.top) {
    Swap(rect.bottom, rect.top);
    rect.InflateVert(1);
}
}
if(keepratio) {
    int cy = org.Width() ? rect.Width() * org.Height() / org.Width() : 0;
    int cx = org.Height() ? rect.Height() * org.Width() / org.Height() : 0;
    if(tx == ALIGN_BOTTOM && ty == ALIGN_RIGHT) {
        Size sz = rect.Size();
        if(cx > sz.cx)
            rect.right = rect.left + cx;
        else
            rect.bottom = rect.top + cy;
    }
    else
        if(tx == ALIGN_RIGHT)
            rect.bottom = rect.top + cy;
        else
            if(ty == ALIGN_BOTTOM)
                rect.right = rect.left + cx;
    }
}
if(rect != o) {
    rect = Round(rect);
    if(rect != o) {
        DrawRect(o, rect);
        sync(rect);
        o = rect;
    }
}
}

```

It fixes the cursor alignment problem. I also believe that this is the correct place to modify the coordinates, as doing so before drawing means that the final rectangle is inaccurate.

IMO if you really need to have the final rectangle backwards I think you should compare and switch it after getting the final rect back.