
Subject: Re: Japanese IME test code

Posted by [mobilehunter](#) on Sun, 27 Apr 2008 02:05:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

Here are new implementation.

Tested against EditCtrl only.

at CtrlCore.h:

```
virtual Font GetIMEFont();
virtual Point GetIMEPoint();
```

at Ctrl.cpp:

```
//default implementation
Font Ctrl::GetIMEFont()
{
    return StdFont();
}

Point Ctrl::GetIMEPoint()
{
    POINT pt;
    GetCaretPos(&pt); //still not upp-wise :)

    return Point(pt);
}
```

at win32proc.cpp:

```
case WM_IME_STARTCOMPOSITION:
{
```

```
    Ctrl*f=GetFocusChild();
```

```
    HWND hwnd =GetHWND();
    Point imePt = f->GetIMEPoint();
    Font imeFont = f->GetIMEFont();
```

```
    COMPOSITIONFORM cf;
    cf.dwStyle = CFS_POINT;
    cf.ptCurrentPos.x = imePt.x;
    cf.ptCurrentPos.y = imePt.y;
```

```
    LOGFONT lf;
    HIMC hIMC = ImmGetContext(hwnd);
```

```
ImmGetCompositionFont(hIMC,&lf);
lf.lfHeight = -imeFont.Info().GetHeight();
ImmSetCompositionFont(hIMC, &lf);

ImmSetCompositionWindow(hIMC, &cf);
ImmReleaseContext(hwnd, hIMC);
}
break;
```
