
Subject: Re: State of "button"

Posted by [cbpporter](#) on Tue, 29 Apr 2008 08:17:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

I centered the image in text in ToolButton. I've done this as default for both modes that have label. I hope I did not upset some pixel perfect layout of these elements that you had in mind, but I think that they are set up the same in toolbars. Tested in UWord too and looks the same. I don't think that default center is a problem since no one would like a button like this:

Here is the code:

```
void ToolButton::Paint(Draw& w)
{
    LTIMING("ToolButton::Paint");
    paint_checked = checked;
    Size sz = GetSize();
    UPP::Image image = GetImage();
    Size isz = image.GetSize();
    // Ctrl *q = GetParent()->GetParent();
    // if(!q || !q->IsTransparent())
    // w.DrawRect(sz, checked && !HasMouse() ? Blend(SColorFace, SColorLight) : SColorFace);
    int li = IsEnabled() ? HasMouse() ? GetMouseLeft() ? CTRL_PRESSED
        : checked ? CTRL_HOTCHECKED : CTRL_HOT
        : checked ? CTRL_CHECKED : CTRL_NORMAL
        : CTRL_DISABLED;
    ChPaint(w, sz, style->look[li]);
    Point off = style->offset[li];
    Point ip = (sz - isz) / 2 + off;
    Size tsz;
    if(kind != NOLABEL)
        tsz = GetTextSize(text, style->font);
    if(kind == BOTTOMLABEL) {
        ip.y -= tsz.cy / 2 + 1;
        w.DrawText((sz.cx - tsz.cx) / 2 + off.x, ip.y + isz.cy + 2 + off.y, text, style->font,
style->textcolor[li]);
    }
    if(kind == RIGHTLABEL) {
        ip.x -= tsz.cx / 2 + 2;
        w.DrawText(ip.x + isz.cx + 3 + off.x, (sz.cy - tsz.cy) / 2 + off.y, text, style->font,
style->textcolor[li]);
    }
    UPP::Image img = CachedContrast(image, style->contrast[li]);
    if(!IsEnabled())
        img = DisabledImage(img);
    if(IsEnabled() && style->light[li])
        DrawHighlightImage(w, ip.x, ip.y, img, true);
}
```

```
else
  w.DrawImage(ip.x, ip.y, img);
}
```

Also, some extra stuff for checking:

```
Bar::Item& ToolButton::Check(bool check)
```

```
{
  checked = check;
  Refresh();
  return *this;
}
```

```
ToolButton& Label(const char *text, int kind = ToolButton::RIGHTLABEL);
```

```
bool IsChecked() { return checked; } // in header
```

I didn't use bool Get() since there is Radio too, and it would be ambiguous: does get return checked state or radio state? Right now they are the same, but this could change.

This about covers all there is to make ToolButton a viable ButtonOption replacement. It does not look that great checked with solid skin on Vista, but neither does ButtonOption, so I guess it's ok.

File Attachments

1) [Button.png](#), downloaded 831 times
