
Subject: Re: WebMail package (POP/SMTP/IMAP)
Posted by [Oblivion](#) on Mon, 22 Sep 2008 17:26:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

forlano wrote on Mon, 22 September 2008 20:03Oblivion wrote on Mon, 22 September 2008 17:07

Here is the Simple mail reader:

Hi Oblivion!

The program compiled without problem but didn't work: it crashed when I entered the site address like mail.vegachess.com.

Then I entered the numeric format xxx.yyy.uuu.vvv and it tried to connect but without success and without crush:

POP3Mail Error: Cannot open socket 216.115.108.245:110: Reason: socket(1660) / connect(216.115.108.245:110): Connection timed out. (WSAETIMEDOUT)

Instead with thunderbird I was able to connect without time delay.

Any idea?

It would be very nice to have saved one time for all the settings of the window "Account and Server Settings" and avoid to retype it each time. So the program should retrieve in some config file the last used parameters.

Luigi

Hmm...

Confirmed. It works flawlessly when compiled with MSVC8 and MSVC9. But I reproduced the errors you mention on MinGW(did I mention that I hate that ever-complaining compiler?) Probably a "reference" related bug, Also, the example should already "serialize" the settings window's content. I don't get it why it doesn't save and load the settings on MinGW. I'll try to find reason for this and I'll fix the problems asap.

Thanks.