

---

Subject: Pick overloaded by Rvalue?

Posted by [bytefield](#) on Tue, 11 Nov 2008 22:44:30 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi,

Will pick concept be available with new C++0x standard or it will disappear letting his place to Rvalue references?

Taking the next simple example, it behave like using pick for the returned data of the function, no copy-constructor or = op. is involved.

```
// rval.cpp
#include <iostream>
using namespace std;

class X
{
public:
    X()
    {
        cout << "Def ctor\n";
    }
    ~X()
    {
        cout << "Def dtor\n";
    }
    X(const X& )
    {
        cout << "Def cpyctor\n";
    }
    void Msg()
    {
        cout << "Showing a message\n";
    }
    X& operator=(X& )
    {
        cout << "= op\n";
        return *this;
    }
};

X fun()
{
    cout << "In fun(), before X x;\n";
    X x;
    cout << "In fun(), after X x;\n";
    return x;
}
```

```
}  
  
int main()  
{  
    X&& x = fun();  
    x.Msg();  
    return 0;  
}
```

Quote:g++ rval.cpp -o rval -std=c++0x

If that, have MS introduced(or will) rvalues in their compiler?  
Seems g++ is ready for rvalue;

I think because rvalues references are implemented in languages they will be faster than pick concept(which still need copy constructor).

Also i don't know how utf-8 strings will be treated in new standard but if they will be then which string implementation will Upp use it's own or one provided by standard? Porting upp to "new C++" will require some effort .

---