

---

Subject: Re: Convert String to Sqld

Posted by [michael](#) on Tue, 23 Dec 2008 18:12:12 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

ok, that's a replacement for my count-method, but the main-problem is how to use a String (sqlTable) as Sqld:

```
Sql sql(session);
Sqld all("**");
sql * Select(SqlCountRows()).From(sqlTable).Where(PRODUKT=="prohibis");
```

H:\Entwicklung\UPP\prohibisZA\prohibisZA.cpp(1049) : error C2668: 'Upp::SqlSelect::From' : ambiguous call to overloaded function

c:\upp\uppsrc\sql\Sqlexp.h(454): could be 'Upp::SqlSelect &Upp::SqlSelect::From(const Upp::SqlVal &)'  
c:\upp\uppsrc\sql\Sqlexp.h(451): or 'Upp::SqlSelect &Upp::SqlSelect::From(Upp::SqlId)' while trying to match the argument list '(Upp::String)'

H:\Entwicklung\UPP\prohibisZA\prohibisZA.cpp(1049) : error C2228: left of '.Where' must have class/struct/union

prohibisZA: 1 file(s) built in (0:03.63), 3635 msecs / file, duration = 3697 msecs, parallelization 0%

There were errors. (0:04.68)

---