Subject: Using LLVM to compile U++ Posted by phirox on Thu, 14 May 2009 18:27:08 GMT View Forum Message <> Reply to Message

I was intrigued by the move of freebsd to switch from GNU GCC to LLVM. So I installed IIvm 2.5 with the clang frontend(IIvm-gcc and IIvm-g++).

I added a new Build Method named LLVM(under Setup->Build methods). Then set all the flags exactly like with GCC and edit the field Compiler name and put in llvm-g++.

Everything compiled ok, except one little part. In Lang.cpp it gave a segfault. I fixed this error by adding a nonsense variable above the ONCELOCK { line: e.g. "bool llvm_fix;".

Ok the main advantages seem to be compiler speed, better error/warning descriptions, runtime optimilizations which lead to faster execution speeds. The compiler speed is noticeable, I would guess about 30% faster in my case. The messages do seem more verbose. But onto the fun stuff, I tested the speed using the Timing package in reference.

The results for the GCC Speed build(-pipe -O2 -ffunction-section -fomit-frame-pointers):

The restm.Elapsed() = 8242 TIMING Index::FindAdd : 721.85 ms - 721.85 ns (2.01 s / 1000000) TIMING AsString : 160.85 ms - 160.85 ns (1.45 s / 1000000) TIMING rand : 0.00 ns - 0.00 ns (1.16 s / 1000000) The results for the LLVM Speed build(identical flags): tm.Elapsed() = 8334 TIMING Index::FindAdd : 726.35 ms - 726.35 ns (2.12 s / 1000000) TIMING AsString : 112.35 ms - 112.35 ns (1.50 s / 1000000) TIMING rand : 0.00 ns - 0.00 ns (1.14 s / 1000000)

Interesting results as you can see, I will definitely keep using it for now. If not only to keep testing upp's compatibility.

Page 1 of 1 ---- Generated from U++ Forum