
Subject: Re: [BUG] Editing a file which does not exist anymore crashes TheIDE
Posted by [loki](#) on Fri, 15 May 2009 17:35:18 GMT

[View Forum Message](#) <> [Reply to Message](#)

Some more information:

* /usr/bin/theide 15.05.2009 18:25:01, user: xxx

```
18:25:02 CLOSE 6Splash
18:25:02 OPEN 16SelectPackageDlg "Select main package (TheIDE 1157 2009-05-11 3:25)"
18:25:02 ACTIVATE 16SelectPackageDlg "Select main package (TheIDE 1157 2009-05-11
3:25)"
18:25:02 SETFOCUS N3Upp9ArrayCtrlE ("Select main package (TheIDE 1157 2009-05-11
3:25)")
18:25:02 SETFOCUS N3Upp9ArrayCtrlE ("Select main package (TheIDE 1157 2009-05-11
3:25)")
18:25:02 SETFOCUS N3Upp9ArrayCtrlE ("Select main package (TheIDE 1157 2009-05-11
3:25)")
18:25:03 LEFTDOWN [44, 14] ( LEFT ) N3Upp6ButtonE ("Select main package (TheIDE 1157
2009-05-11 3:25)")
18:25:03 LEFTUP [44, 14] ( ) N3Upp6ButtonE ("Select main package (TheIDE 1157 2009-05-11
3:25)")
18:25:03 CLOSE N3Upp9TopWindowE "Select main package (TheIDE 1157 2009-05-11 3:25)"
18:25:03 OPEN 3Ide
18:25:03 ACTIVATE 3Ide
18:25:03 OPEN N3Upp8ProgressE "Assist++"
18:25:03 DEACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 ACTIVATE N3Upp8ProgressE "Assist++"
18:25:03 SETFOCUS N3Upp8ProgressE "Assist++"
18:25:03 SETFOCUS N3Upp8ProgressE "Assist++"
18:25:03 CLOSE N3Upp9TopWindowE "Assist++"
18:25:03 ACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 SETFOCUS 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 DEACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 ACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 SETFOCUS 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 DEACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 ACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 SETFOCUS 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 DEACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 ACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 SETFOCUS 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 DEACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 ACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 SETFOCUS 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 DEACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 ACTIVATE 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
18:25:03 SETFOCUS 3Ide "OpenGL_Linux - GUI - TheIDE { xyz }"
```

Page 2 of 3 ---- Generated from U++ Forum

