Subject: Re: mingw?

Posted by koldo on Sun, 21 Jun 2009 13:35:55 GMT

View Forum Message <> Reply to Message

Hello Speed Ghost

It seems that there is something else ...

I have done more tests with changed Bombs example with SSE2 matrix code at the beginning, all with MinGW, SPEED and rebuilding it all every time:

Main Pack. Conf. Compiler Opt Test time Problems?

- GUI SSE2 No option 2.3 sec Crash
- GUI -msse2 2.4 sec Ok
- GUI SSE2 -msse2 2.3 sec Crash
- GUI -msse2 -mfpmath=sse 2.3 sec Ok
- GUI SSE2 -msse2 -mfpmath=sse 2.3 sec Crash

The crash was always using the menus and not in the initial matrix code.

```
Then I have recompiled Thelde changing this:
if(HasFlag("SSE2"))
 cc << " -msse2";// -mfpmath=sse";
and:
Main Pack. Conf. Compiler Opt
                                   Test time Problems?
- GUI SSE2 No option
                             2.4 sec
                                    Crash
and I have recompiled again with:
if(HasFlag("SSE2"))
 cc << " ";//-msse2";// -mfpmath=sse";
and:
Main Pack. Conf. Compiler Opt
                                   Test time Problems?
- GUI SSE2 No option
                            9.5 sec Ok
```

Conclussion:

There is a problem in some Upp GUI library that uses SSE2 caused by MinGW TDM 4.4.0 or by Upp

I have done the tests in Linux and there have been no crash.

Best regards Koldo