

---

Subject: Re: Substring formating in ArrayCtrl (SqlCtrl)

Posted by [Novo](#) on Wed, 19 Aug 2009 04:22:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Sorry, I mislead you. I checked with my code where I use text attributes with TreeCtrl. I use AttrText, which is handled by all standard Display classes. The code looks like

```
vf_id = wtree.Add(parent_id, TreeCtrl::Node(AttrText("Verb frames").Ink(LtBlue())));
```

AttrText is not that flexible as QTF is. It just lets you set attributes for the whole text.

If I need to display a QTF text as a node I create a RichTextCtrl and set it as a node of a tree. The same technique should work with ArrayCtrl.

My code looks similar to an example below.

```
Array<RichTextCtrl> rt_ctrl;  
  
rt_ctrl.Add().SetZoom(zoom).NoSb().SetQTF(tree_str);  
rt_ctrl.Top().WhenLink = THISBACK(on_link);  
  
// Zoom related suff ...  
int x = rt_ctrl.Top().GetWidth();  
Size sz(x, rt_ctrl.Top().GetHeight(x));  
sz = zoom * sz;  
sz.cx += 1;  
  
wtree.Add(parent_id, TreeCtrl::Node(rt_ctrl.Top()).SetSize(sz));
```

---