

Subject: QTF table borders disappearing on Report/Perform()

Posted by [jeremy_c](#) on Thu, 15 Oct 2009 14:09:02 GMT

[View Forum Message](#) <> [Reply to Message](#)

I have created a table dynamically and then use Report/Perform() to display/print the report. However, sometimes the borders display and other times they do not. If I resize the window it changes which borders appear. Sometimes you can get it just right so that all the borders appear.

Excuse the longer example but it has QTF code to show the problem:

```
":: [s0;=%% `@DR]"
":: [s0;=%% ]"
":: [s0;=%% ]"
":: [s0;=%% ]"
":: [s0;=%% `@FR]"
":: [s0; ]"
":: [s0; ]"
"::|1 [s0;= `@CH]"
":: [s0;=%% `@D]"
":: [s0;=%% `@GS]"
":: [s0;=%% `@E]"
":: [s0;=%% ]"
":: [s0;=%% `@FU]"
"::|1 [s0; `@N]"
"::|1 [s0;= `@P]"
":: [s0; ]"
":: [s0;=%% `@DR]"
":: [s0;=%% ]"
":: [s0;=%% ]"
":: [s0;=%% ]"
":: [s0;=%% `@FR]"
":: [s0; ]"
":: [s0; ]"
":: @7 [s0;= [*2 Totals]]"
":: @2 [s0;=%% `@DT]"
":: [s0;=%% `@GA]"
":: [s0;=%% `@ET]"
":: [s0;=%% ` -]"
":: [s0;=%% `@FT]"
":: [s0; ` -]}]";
```

Perform(r);

Is there a way to fix this?

Jeremy
