
Subject: Re: Prompt with non-system dpi for text at first
Posted by [Sender Ghost](#) on Thu, 10 Dec 2009 14:52:52 GMT
[View Forum Message](#) <> [Reply to Message](#)

luzr wrote on Sun, 29 November 2009 23:31 Thank you for reporting the problem.

I believe even better solution is to put Csizeinit call to GUI_APP_MAIN.
Thank you for your solution.

Considering new topic I propose following modified solution:

- Make public static Sizenit function to call inlined Csizeinit function.
- Use created Sizenit function in the CtrlCore/Win32Wnd.cpp::InitWin32, CtrlCore/X11App.cpp::InitX11 functions.

Normal diff for 1796 revision:

File: CtrlCore\Ctrl.cpp

770a771,775

```
> void Ctrl::Sizenit()
```

```
> {
```

```
> Csizeinit();
```

```
> }
```

```
>
```

File: CtrlCore\CtrlCore.h

1328a1329,1330

```
>
```

```
> static void Sizenit();
```

File: CtrlCore\Win32Wnd.cpp

288c288

```
< Csizeinit();
```

```
---
```

```
> Sizenit();
```

File: CtrlCore\X11App.cpp

429c429

```
< Csizeinit();
```

```
---
```

```
> Sizenit();
```
