
Subject: Re: Difficulty with Class declaration

Posted by [brokndodge](#) on Wed, 31 Mar 2010 22:57:04 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quote:UDMS is declared in "main.h", but after you try to inherit from it in "popups.h".

So in main.h you should declare UDMS, in popups.h you should include main.h and then declare the Popups class.

think i got the circular dependency thing fixed. Thinking about it, main.h needs to know about Popups.h but Popups.h has no need to know main.h even exists. So first I try it your way:

```
in popups.h
#include "main.h"
// struct UDMS;
struct Popups : UDMS { //no difference in results whether
    //": UDMS" is here or not
//stuff
};
```

```
and in main.h
// #include "popups.h"
// class Popups;
struct UDMS : TopWindow {
    struct lilpop;
    Popups lilpop;

//stuff
};
```

i get the following errors

popups.cpp

main.cpp

In file included from C:\MyApps\main\main.h:5,
from C:\MyApps\main\Popups.h:12,
from C:\MyApps\main\popups.cpp:1:

C:/upp/bazaar/TabBar/TabBarCtrl.h: In constructor `Upp::TabBarCtrl::Item::Item()':

C:/upp/bazaar/TabBar/TabBarCtrl.h:37: warning: converting of negative value `-0x000000001' to
`Upp::dword'

In file included from C:\MyApps\main\Popups.h:12,
from C:\MyApps\main\popups.cpp:1:

C:\MyApps\main\main.h: At global scope:

C:\MyApps\main\main.h:21: error: `Popups' does not name a type

In file included from C:\MyApps\main\main.h:5,
from C:\MyApps\main\main.cpp:1:

C:/upp/bazaar/TabBar/TabBarCtrl.h: In constructor `Upp::TabBarCtrl::Item::Item()':

```

C:/upp/bazaar/TabBar/TabBarCtrl.h:37: warning: converting of negative value '-0x000000001' to
`Upp::dword'
In file included from C:\MyApps\main\main.cpp:1:
C:\MyApps\main\main.h: At global scope:
C:\MyApps\main\main.h:21: error: `Popups' does not name a type
C:\MyApps\main\main.cpp: In member function `void UDMS::ProspectDetailTab()':
C:\MyApps\main\main.cpp:74: error: `lilpop' is not a member of `UDMS'
main: 2 file(s) built in (0:04.20), 2102 msec / file, duration = 4328 msec, parallelization 100%

```

There were errors. (0:04.64)

Then I follow my own logic and reverse that to:

in popups.h

//Popups.h doesn't really need to know about main.h

//so commented out this #include

//#include "main.h"

```

class Popups // compiler fusses about expecting a class-name

```

```

    // before "{" if i use ": UDMS" in this example

```

```

{
// stuff
};

```

and in main.h

//main.h does need to know about Popups.h

```
#include "Popups.h"
```

```
struct UDMS : TopWindow {
```

```
    struct lilpop;
```

```
    Popups lilpop;
```

```
// stuff
```

```
};
```

i get the following

```

----- CtrlLib ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 1 / 10)
----- TabBar ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 2 / 10)
----- CtrlCore ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 3 / 10)
----- Draw ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 4 / 10)
----- plugin/bmp ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 5 / 10)
----- RichText ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 6 / 10)
----- Core ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 7 / 10)
----- plugin/z ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 8 / 10)
----- plugin/png ( GUI GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 9 / 10)
----- main ( GUI MAIN GCC DEBUG DEBUG_FULL BLITZ WIN32 ) ( 10 / 10)

```

popups.cpp

main.cpp

In file included from C:\MyApps\main\main.h:5,

```
from C:\MyApps\main\main.cpp:1:
C:/upp/bazaar/TabBar/TabBarCtrl.h: In constructor `Upp::TabBarCtrl::Item::Item()':
C:/upp/bazaar/TabBar/TabBarCtrl.h:37: warning: converting of negative value `-0x000000001' to
`Upp::dword'
C:\MyApps\main\main.cpp: In member function `void UDMS::ProspectDetailTab()':
C:\MyApps\main\main.cpp:74: error: ISO C++ forbids taking the address of a bound member
function to form a po
inter to member function. Say `&Popups::QNHHelpPopup'
main: 2 file(s) built in (0:05.19), 2596 msec / file, duration = 5359 msec, parallelization 100%
```

There were errors. (0:05.68)

now if i'm reading that correctly, it seems to be saying that i am simply calling
Popups::QNHHelpPopup incorrectly. The thing is I think it wants me to use a reference to
Popups::QNHHelpPopup rather than to call it directly, the whole reference thing is where I get
completely lost.

Quote:However I have seen that struct UDMS has a class Popups member and also class
Popups is a subclass of UDMS. That sounds strange.

I think that is where my confusion lies. I don't understand the difference or which one I should be
doing. I don't fully understand most of the Perl code I write either, but it works and I know that in
this instance to get this result I can do this. Seems that with c++ I do need to fully understand it.
Class member or subclass seems like splitting hairs to me. So maybe that is where the problem
lies.

ps. Attached unmodified main.zip to my first post. thats the complete project nest from before i
started tinkering with it based on cbpporter's guidance. attached new main.zip to this post that
includes new changes.

File Attachments

1) [main_2.zip](#), downloaded 321 times
