
Subject: Re: Theide is linked with unnecessary libs on linux

Posted by [dolik.rce](#) on Fri, 09 Apr 2010 18:09:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Novo wrote on Thu, 08 April 2010 06:49The easiest way to find real dependencies on Linux is to call "ldd path_to_your_app_here".

Hi Novo,

Thanks for hint Executing ldd with -u to list unused libraries confirms what I said in the first post: \$

ldd -u /usr/bin/theide

Unused direct dependencies:

```
/usr/lib/libX11.so.6
/usr/lib/libXcursor.so.1
/usr/lib/libXext.so.6
/usr/lib/libXfixes.so.3
/usr/lib/libXft.so.2
/usr/lib/libXi.so.6
/usr/lib/libXinerama.so.1
/usr/lib/libXrandr.so.2
/usr/lib/libXrender.so.1
/usr/lib/libatk-1.0.so.0
/usr/lib/libcairo.so.2
/lib/libdl.so.2
/usr/lib/libfontconfig.so.1
/usr/lib/libfreetype.so.6
/usr/lib/libgdk-x11-2.0.so.0
/usr/lib/libgdk_pixbuf-2.0.so.0
/usr/lib/libglib-2.0.so.0
/usr/lib/libgmodule-2.0.so.0
/usr/lib/libgobject-2.0.so.0
/usr/lib/libpango-1.0.so.0
/usr/lib/libpangocairo-1.0.so.0
/usr/lib/libpng12.so.0
/lib/libpthread.so.0
/usr/lib/libz.so.1
/lib/libm.so.6
/usr/lib/libgcc_s.so.1
```

Honza
