
Subject: Re: SqlCtrls and IsModified()

Posted by [mirek](#) on Thu, 17 Jun 2010 07:38:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

see why:

SqlCtrls::Load calls would somehow automatically reset some modification flag internally to the SqlCtrls object. But then again I see this SqlCtrls::ClearModify() method and got a wakeup call,

Anyway, this might come up as somebody else's doubt too, so I thought I should post it. Sorry for taking up your time...

Many thanks!

Actually, it somewhat comes to my surprise you bother to test it at all.

Usually, I am using SqlCtrls for dialog that edits some database row. Then it is simply, if user presses OK I do update...

BTW, my usual set of methods looks something like this:

```
PriceEntryDlg::PriceEntryDlg()
{
    CtrlLayoutOKCancel(*this, "Entry");
    ctrls
        (IMPRESSIONS, impressions)
        (REGION, region)
        (DURATION, duration)
        (PRICE, price)
    ;
}
```

```
void ProductSchemaDlg::NewPe()
{
    if(!product.IsCursor())
        return;
    PriceEntryDlg dlg;
    if(dlg.Execute() == IDOK) {
        SQL * dlg.ctrls.Insert(PRICE)(PRODUCT_ID, product.GetKey());
        int id = SQL.GetInsertedId();
        price.ReQuery();
        price.FindSetCursor(id);
    }
}
```

```
void ProductSchemaDlg::EditPe()
{
    int id = price.GetKey();
    if(IsNull(id))
        return;
    PriceEntryDlg dlg;
    dlg.ctrls.Load(PRICE, ID == id);
    if(dlg.Execute() == IDOK) {
        SQL * dlg.ctrls.Update(PRICE).Where(ID == id);
        price.ReQuery();
    }
}
```

where product is master SqlArray and price is the SqlArray of those edited rows.

Mirek
