

---

Subject: Re: I cant create EXE file with MnGW compiler

Posted by [baloghi](#) on Wed, 01 Sep 2010 13:34:31 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

If i build HelloCpp program then Thelde output is the next:

```
----- CtrlLib ( GUI GCC32 DEBUG DEBUG_FULL BLITZ WIN32 ) (1 / 9)
BLITZ: LabelBase.cpp Button.cpp Switch.cpp EditField.cpp Text.cpp LineEdit.cpp DocEdit.cpp
ScrollBar.cpp Head
erCtrl.cpp ArrayCtrl.cpp MultiButton.cpp PopupTable.cpp DropList.cpp DropChoice.cpp
Static.cpp Splitter.c
pp FrameSplitter.cpp SliderCtrl.cpp ColumnList.cpp Progress.cpp AKeys.cpp RichTextView.cpp
Prompt.cpp Hel
p.cpp DateTimeCtrl.cpp Bar.cpp MenuItem.cpp MenuBar.cpp ToolButton.cpp ToolBar.cpp
ToolTip.cpp StatusBar.
cpp TabCtrl.cpp TreeCtrl.cpp DropTree.cpp DlgColor.cpp ColorPopup.cpp ColorPusher.cpp
FileList.cpp FileSe
l.cpp FileSelUtil.cpp PrinterJob.cpp Windows.cpp Win32.cpp TrayIconWin32.cpp
TrayIconX11.cpp CtrlUtil.cpp
Update.cpp LNGCtrl.cpp Ch.cpp ChGtk.cpp
C:\MinGW\bin\mingw32-make: invalid option -- c
C:\MinGW\bin\mingw32-make: invalid option -- Y
C:\MinGW\bin\mingw32-make: invalid option -- E
C:\MinGW\bin\mingw32-make: invalid option -- A
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 2
C:\MinGW\bin\mingw32-make: invalid option -- 0
C:\MinGW\bin\mingw32-make: invalid option -- 1
C:\MinGW\bin\mingw32-make: invalid option -- 0
C:\MinGW\bin\mingw32-make: invalid option -- M
C:\MinGW\bin\mingw32-make: invalid option -- O
C:\MinGW\bin\mingw32-make: invalid option -- N
C:\MinGW\bin\mingw32-make: invalid option -- T
C:\MinGW\bin\mingw32-make: invalid option -- H
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 9
C:\MinGW\bin\mingw32-make: invalid option -- A
C:\MinGW\bin\mingw32-make: invalid option -- Y
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 1
C:\MinGW\bin\mingw32-make: invalid option -- H
C:\MinGW\bin\mingw32-make: invalid option -- O
C:\MinGW\bin\mingw32-make: invalid option -- U
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 1
C:\MinGW\bin\mingw32-make: invalid option -- 5
C:\MinGW\bin\mingw32-make: invalid option -- M
C:\MinGW\bin\mingw32-make: invalid option -- E
```

```
C:\MinGW\bin\mingw32-make: invalid option -- 3
C:\MinGW\bin\mingw32-make: invalid option -- 2
C:\MinGW\bin\mingw32-make: invalid option -- g
C:\MinGW\bin\mingw32-make: invalid option -- 2
C:\MinGW\bin\mingw32-make: invalid option -- a
C:\MinGW\bin\mingw32-make: invalid option -- c
C:\MinGW\bin\mingw32-make: invalid option -- _
C:\MinGW\bin\mingw32-make: invalid option -- E
C:\MinGW\bin\mingw32-make: invalid option -- U
C:\MinGW\bin\mingw32-make: invalid option -- G
C:\MinGW\bin\mingw32-make: invalid option -- O
C:\MinGW\bin\mingw32-make: invalid option -- 0
C:\MinGW\bin\mingw32-make: invalid option -- g
C:\MinGW\bin\mingw32-make: invalid option -- a
Usage: mingw32-make [options] [target] ...
Options:
-b, -m           Ignored for compatibility.
-B, --always-make   Unconditionally make all targets.
-C DIRECTORY, --directory=DIRECTORY
                  Change to DIRECTORY before doing anything.
-d               Print lots of debugging information.
--debug[=FLAGS]    Print various types of debugging information.
-e, --environment-overrides
                  Environment variables override makefiles.
--eval=STRING     Evaluate STRING as a makefile statement.
-f FILE, --file=FILE, --makefile=FILE
                  Read FILE as a makefile.
-h, --help         Print this message and exit.
-i, --ignore-errors  Ignore errors from recipes.
-I DIRECTORY, --include-dir=DIRECTORY
                  Search DIRECTORY for included makefiles.
-j [N], --jobs[=N]   Allow N jobs at once; infinite jobs with no arg.
-k, --keep-going    Keep going when some targets can't be made.
-l [N], --load-average[=N], --max-load[=N]
                  Don't start multiple jobs unless load is below N.
-L, --check-symlink-times  Use the latest mtime between symlinks and target.
-n, --just-print, --dry-run, --recon
                  Don't actually run any recipe; just print them.
-o FILE, --old-file=FILE, --assume-old=FILE
                  Consider FILE to be very old and don't remake it.
-p, --print-data-base  Print make's internal database.
-q, --question        Run no recipe; exit status says if up to date.
-r, --no-builtin-rules Disable the built-in implicit rules.
-R, --no-builtin-variables Disable the built-in variable settings.
-s, --silent, --quiet   Don't echo recipes.
-S, --no-keep-going, --stop
                  Turns off -k.
-t, --touch          Touch targets instead of remaking them.
```

-v, --version Print the version number of make and exit.  
-w, --print-directory Print the current directory.  
--no-print-directory Turn off -w, even if it was turned on implicitly.  
-W FILE, --what-if=FILE, --new-file=FILE, --assume-new=FILE  
Consider FILE to be infinitely new.  
--warn-undefined-variables Warn when an undefined variable is referenced.

This program built for i386-pc-mingw32

Report bugs to <bug-make@gnu.org>

ChWin32.cpp

```
C:\MinGW\bin\mingw32-make: invalid option -- c
C:\MinGW\bin\mingw32-make: invalid option -- Y
C:\MinGW\bin\mingw32-make: invalid option -- E
C:\MinGW\bin\mingw32-make: invalid option -- A
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 2
C:\MinGW\bin\mingw32-make: invalid option -- 0
C:\MinGW\bin\mingw32-make: invalid option -- 1
C:\MinGW\bin\mingw32-make: invalid option -- 0
C:\MinGW\bin\mingw32-make: invalid option -- M
C:\MinGW\bin\mingw32-make: invalid option -- O
C:\MinGW\bin\mingw32-make: invalid option -- N
C:\MinGW\bin\mingw32-make: invalid option -- T
C:\MinGW\bin\mingw32-make: invalid option -- H
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 9
C:\MinGW\bin\mingw32-make: invalid option -- A
C:\MinGW\bin\mingw32-make: invalid option -- Y
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 1
C:\MinGW\bin\mingw32-make: invalid option -- H
C:\MinGW\bin\mingw32-make: invalid option -- O
C:\MinGW\bin\mingw32-make: invalid option -- U
C:\MinGW\bin\mingw32-make: invalid option -- =
C:\MinGW\bin\mingw32-make: invalid option -- 1
C:\MinGW\bin\mingw32-make: invalid option -- 5
C:\MinGW\bin\mingw32-make: invalid option -- M
C:\MinGW\bin\mingw32-make: invalid option -- E
C:\MinGW\bin\mingw32-make: invalid option -- 3
C:\MinGW\bin\mingw32-make: invalid option -- 2
C:\MinGW\bin\mingw32-make: invalid option -- g
C:\MinGW\bin\mingw32-make: invalid option -- 2
C:\MinGW\bin\mingw32-make: invalid option -- a
C:\MinGW\bin\mingw32-make: invalid option -- c
C:\MinGW\bin\mingw32-make: invalid option -- _
C:\MinGW\bin\mingw32-make: invalid option -- E
C:\MinGW\bin\mingw32-make: invalid option -- U
C:\MinGW\bin\mingw32-make: invalid option -- G
```

```
C:\MinGW\bin\mingw32-make: invalid option -- O
C:\MinGW\bin\mingw32-make: invalid option -- 0
C:\MinGW\bin\mingw32-make: invalid option -- g
C:\MinGW\bin\mingw32-make: invalid option -- a
C:\MinGW\bin\mingw32-make: invalid option -- x
Usage: mingw32-make [options] [target] ...
Options:
  -b, -m           Ignored for compatibility.
  -B, --always-make   Unconditionally make all targets.
  -C DIRECTORY, --directory=DIRECTORY
                    Change to DIRECTORY before doing anything.
  -d               Print lots of debugging information.
  --debug[=FLAGS]    Print various types of debugging information.
  -e, --environment-overrides
                    Environment variables override makefiles.
  --eval=STRING      Evaluate STRING as a makefile statement.
  -f FILE, --file=FILE, --makefile=FILE
                    Read FILE as a makefile.
  -h, --help         Print this message and exit.
  -i, --ignore-errors  Ignore errors from recipes.
  -I DIRECTORY, --include-dir=DIRECTORY
                    Search DIRECTORY for included makefiles.
  -j [N], --jobs[=N]   Allow N jobs at once; infinite jobs with no arg.
  -k, --keep-going    Keep going when some targets can't be made.
  -l [N], --load-average[=N], --max-load[=N]
                    Don't start multiple jobs unless load is below N.
  -L, --check-symlink-times  Use the latest mtime between symlinks and target.
  -n, --just-print, --dry-run, --recon
                    Don't actually run any recipe; just print them.
  -o FILE, --old-file=FILE, --assume-old=FILE
                    Consider FILE to be very old and don't remake it.
  -p, --print-data-base  Print make's internal database.
  -q, --question        Run no recipe; exit status says if up to date.
  -r, --no-builtin-rules  Disable the built-in implicit rules.
  -R, --no-builtin-variables  Disable the built-in variable settings.
  -s, --silent, --quiet    Don't echo recipes.
  -S, --no-keep-going, --stop
                    Turns off -k.
  -t, --touch          Touch targets instead of remaking them.
  -v, --version         Print the version number of make and exit.
  -w, --print-directory  Print the current directory.
  --no-print-directory   Turn off -w, even if it was turned on implicitly.
  -W FILE, --what-if=FILE, --new-file=FILE, --assume-new=FILE
                    Consider FILE to be infinitely new.
  --warn-undefined-variables Warn when an undefined variable is referenced.
```

This program built for i386-pc-mingw32  
Report bugs to <[bug-make@gnu.org](mailto:bug-make@gnu.org)>

CtrlLib.icpp

C:\MinGW\bin\mingw32-make: invalid option -- c  
C:\MinGW\bin\mingw32-make: invalid option -- Y  
C:\MinGW\bin\mingw32-make: invalid option -- E  
C:\MinGW\bin\mingw32-make: invalid option -- A  
C:\MinGW\bin\mingw32-make: invalid option -- =  
C:\MinGW\bin\mingw32-make: invalid option -- 2  
C:\MinGW\bin\mingw32-make: invalid option -- 0  
C:\MinGW\bin\mingw32-make: invalid option -- 1  
C:\MinGW\bin\mingw32-make: invalid option -- 0  
C:\MinGW\bin\mingw32-make: invalid option -- M  
C:\MinGW\bin\mingw32-make: invalid option -- O  
C:\MinGW\bin\mingw32-make: invalid option -- N  
C:\MinGW\bin\mingw32-make: invalid option -- T  
C:\MinGW\bin\mingw32-make: invalid option -- H  
C:\MinGW\bin\mingw32-make: invalid option -- =  
C:\MinGW\bin\mingw32-make: invalid option -- 9  
C:\MinGW\bin\mingw32-make: invalid option -- A  
C:\MinGW\bin\mingw32-make: invalid option -- Y  
C:\MinGW\bin\mingw32-make: invalid option -- =  
C:\MinGW\bin\mingw32-make: invalid option -- 1  
C:\MinGW\bin\mingw32-make: invalid option -- H  
C:\MinGW\bin\mingw32-make: invalid option -- O  
C:\MinGW\bin\mingw32-make: invalid option -- U  
C:\MinGW\bin\mingw32-make: invalid option -- =  
C:\MinGW\bin\mingw32-make: invalid option -- 1  
C:\MinGW\bin\mingw32-make: invalid option -- 5  
C:\MinGW\bin\mingw32-make: invalid option -- M  
C:\MinGW\bin\mingw32-make: invalid option -- E  
C:\MinGW\bin\mingw32-make: invalid option -- 3  
C:\MinGW\bin\mingw32-make: invalid option -- 2  
C:\MinGW\bin\mingw32-make: invalid option -- g  
C:\MinGW\bin\mingw32-make: invalid option -- 2  
C:\MinGW\bin\mingw32-make: invalid option -- a  
C:\MinGW\bin\mingw32-make: invalid option -- c  
C:\MinGW\bin\mingw32-make: invalid option -- \_  
C:\MinGW\bin\mingw32-make: invalid option -- E  
C:\MinGW\bin\mingw32-make: invalid option -- U  
C:\MinGW\bin\mingw32-make: invalid option -- G  
C:\MinGW\bin\mingw32-make: invalid option -- O  
C:\MinGW\bin\mingw32-make: invalid option -- 0  
C:\MinGW\bin\mingw32-make: invalid option -- g  
C:\MinGW\bin\mingw32-make: invalid option -- a  
C:\MinGW\bin\mingw32-make: invalid option -- x  
Usage: mingw32-make [options] [target] ...

Options:

-b, -m	Ignored for compatibility.
-B, --always-make	Unconditionally make all targets.

-C DIRECTORY, --directory=DIRECTORY  
                  Change to DIRECTORY before doing anything.  
-d               Print lots of debugging information.  
--debug[=FLAGS]    Print various types of debugging information.  
-e, --environment-overrides  
                  Environment variables override makefiles.  
--eval=STRING      Evaluate STRING as a makefile statement.  
-f FILE, --file=FILE, --makefile=FILE  
                  Read FILE as a makefile.  
-h, --help         Print this message and exit.  
-i, --ignore-errors  Ignore errors from recipes.  
-I DIRECTORY, --include-dir=DIRECTORY  
                  Search DIRECTORY for included makefiles.  
-j [N], --jobs[=N]    Allow N jobs at once; infinite jobs with no arg.  
-k, --keep-going     Keep going when some targets can't be made.  
-l [N], --load-average[=N], --max-load[=N]  
                  Don't start multiple jobs unless load is below N.  
-L, --check-symlink-times  Use the latest mtime between symlinks and target.  
-n, --just-print, --dry-run, --recon  
                  Don't actually run any recipe; just print them.  
-o FILE, --old-file=FILE, --assume-old=FILE  
                  Consider FILE to be very old and don't remake it.  
-p, --print-data-base  Print make's internal database.  
-q, --question         Run no recipe; exit status says if up to date.  
-r, --no-builtin-rules  Disable the built-in implicit rules.  
-R, --no-builtin-variables  Disable the built-in variable settings.  
-s, --silent, --quiet    Don't echo recipes.  
-S, --no-keep-going, --stop  
                  Turns off -k.  
-t, --touch           Touch targets instead of remaking them.  
-v, --version          Print the version number of make and exit.  
-w, --print-directory  Print the current directory.  
--no-print-directory    Turn off -w, even if it was turned on implicitly.  
-W FILE, --what-if=FILE, --new-file=FILE, --assume-new=FILE  
                  Consider FILE to be infinitely new.  
--warn-undefined-variables  Warn when an undefined variable is referenced.

This program built for i386-pc-mingw32  
Report bugs to <[bug-make@gnu.org](mailto:bug-make@gnu.org)>  
CtrlLib: 53 file(s) built in (0:00.30), 5 msec / file, duration = 571 msec

There were errors. (0:00.68)