
Subject: Re: Strange exception raising with SQL.ExecuteX()

Posted by [BioBytes](#) on Tue, 21 Dec 2010 13:30:25 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi all,

I solved this problem by using Sqld syntax. The following code works perfectly and does not raise any unexpected exception :

```
void qsSKillFormDlg::RefreshInfosProcOwner(String newValue,String owner,int fieldId)
{
Sqld TBLOWN("OWNERS"),FIRSTNAME("OWNERFIRSTNAME"),FAMILYNAME(
"OWNERNAME");
Vector<String> infos;

try
{
infos.Clear();
infos = Split(infosProcOwner.At(2), ' ',false);
infosProcOwner.At(2).Clear();

switch(fieldId)
{
case 0: infosProcOwner.At(2)<<infos.At(0)<<' '<<newValue;
SQL &SqlUpdate(TBLOWN)(FAMILYNAME,newValue).Where(FAMILYNAME ==owner);

break;

case 1: infosProcOwner.At(2)<<newValue<<' '<<infos.At(1);
SQL &SqlUpdate(TBLOWN)(FIRSTNAME,newValue).Where(FAMILYNAME==owner);
break;
}
}
catch(SqlExc& err)
{
PanicMessageBox(t_("Erreur SQL"),err);
}
}
```

To avoid problems with the MySql engine, Sqld syntax must be used.

The problem should be considered closed.

Regards
Biobytes
