

---

Subject: Re: operator<=< in tree control reference example

Posted by [cbpporter](#) on Thu, 06 Jan 2011 09:32:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Well, the fastest way to get the answer would be if you do the test yourself. Make new fail by allocating to much memory and see what happens .

Or quote from the docs:

Quote:

We decided to ignore possibility of "out-of-memory" exceptions and recovery. If U++ application goes out of memory, it simply prints the error message and terminates. This is quite pragmatic resolution - our experience is that it is quite hard and annoying to achieve robustness here and it cannot be reliably tested. Also, most platforms with virtual memory will almost freeze long before out-of-memory problem due to intensive page swapping. Connected issue - default and copy constructors are not allowed to throw exceptions in U++ (the common reason to throw exception here was out-of-memory condition). This limitation will be removed in future releases.

As for the use of Top, I have no idea. Ask the author of the package. I would not use a Top after and Add if the Add returns a reference, and I'm not sure if there is a real reason for it.

The way newcomers learn this is by going over the code, the documentation, asking on the forum and applying the conventions themselves. It is something you will hit your head on, overcome it and learn from your experience. This solution is not idle, but there is no easy way to point people in the right direction from the start and make sure they do head that way.

---