

---

Subject: Cross-platform TabBar issue (revision 3063)  
Posted by [Sender Ghost](#) on Sun, 23 Jan 2011 11:48:49 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

I think, TabBar could be more cross-platform. Also I added new lines to the end of files:

```
diff -ruN uppsrc/TabBar/TabBar.cpp uppsrc-fixed/TabBar/TabBar.cpp
--- uppsrc/TabBar/TabBar.cpp 2011-01-23 16:24:59.000000000 +0600
+++ uppsrc-fixed/TabBar/TabBar.cpp 2011-01-23 16:26:46.000000000 +0600
@@ -2447,13 +2447,13 @@
CH_STYLE(TabBar, Style, StyleDefault)
{
    Assign(TabCtrl::StyleDefault());
- #ifdef PLATFORM_LINUX
- DefaultCrosses();
- #else
+ #if defined(PLATFORM_WIN32)/* || defined(PLATFORM_WIN64)*/
    if(IsWinVista())
        Variant2Crosses();
    else
        DefaultCrosses();
+ #else
+ DefaultCrosses();
    #endif
    DefaultGroupSeparators();
}
diff -ruN uppsrc/TabBar/TabBar.t uppsrc-fixed/TabBar/TabBar.t
--- uppsrc/TabBar/TabBar.t 2011-01-23 16:24:18.000000000 +0600
+++ uppsrc-fixed/TabBar/TabBar.t 2011-01-23 16:26:31.000000000 +0600
@@ -25,4 +25,4 @@
caES("Tots")

esES("Todos")

itIT("Tutti")

-roRO("Toate")
\ No newline at end of file
+roRO("Toate")

diff -ruN uppsrc/TabBar/TabBarCtrl.cpp uppsrc-fixed/TabBar/TabBarCtrl.cpp
--- uppsrc/TabBar/TabBarCtrl.cpp 2011-01-23 16:25:18.000000000 +0600
+++ uppsrc-fixed/TabBar/TabBarCtrl.cpp 2011-01-23 16:27:00.000000000 +0600
@@ -96,4 +96,4 @@
    SetCtrl(GetData());
}

-END_UPP_NAMESPACE
```

```
\ No newline at end of file
+END_UPP_NAMESPACE
diff -ruN uppsrc/TabBar/TabBarCtrl.h uppsrc-fixed/TabBar/TabBarCtrl.h
--- uppsrc/TabBar/TabBarCtrl.h 2011-01-23 16:25:48.000000000 +0600
+++ uppsrc-fixed/TabBar/TabBarCtrl.h 2011-01-23 16:27:10.000000000 +0600
@@ -27,4 +27,4 @@
     void SetCtrl(Ctrl &ctrl);
protected:
    virtual void CursorChanged();
-};
\ No newline at end of file
+};
```

To be sure, there is no IsWinVista function for FreeBSD.

---