
Subject: Executable as DLL

Posted by [Novo](#) on Sun, 27 Feb 2011 05:23:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

Executable can be used as DLL. No changes to UPP is required. A proof of this is attached.

Explanation of how this can be done on Windows.

1) Create an application, which uses UPP. Let's name it exe_dll.

```
#include <Core/Core.h>
```

```
using namespace Upp;
```

```
extern String test_function(int i);
```

```
CONSOLE_APP_MAIN
```

```
{  
    Cout() << test_function(1) << EOL;  
}
```

2) Export required symbols via def file

```
EXPORTS
```

```
    ?FormatInt@Upp@ @YA?AVString@1@H@Z  
    ?MemoryAlloc@Upp@ @YAPAXI@Z  
    ?MemoryFree@Upp@ @YAXPAX@Z  
    ?LFree@String0@Upp@ @AAEXXZ
```

3) Compile application. This will create an exe_dll.lib export library.

4) Create a DLL, which is not using UPP. Let's name this DLL test_dll.

```
#include <Core/Core.h>
```

```
using namespace Upp;
```

```
__declspec(dllexport) String test_function(int i)  
{  
    return FormatInt(++i);  
}
```

Although Core.h is included, DLL itself is not linked against UPP.

5) Link test_dll against exe_dll.lib. As a result you will get a test_dll.lib library.

6) Link exe_dll application against test_dll.lib.

7) run exe_dll.

This is a long way. But I believe this work-flow can be automated.

I hope this approach will be useful for the UPP community.

File Attachments

1) [exe_dll.zip](#), downloaded 349 times
