

---

Subject: Re: How to Print a file inside LineEdit  
Posted by [mirek](#) on Mon, 15 May 2006 20:00:21 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

forlano wrote on Mon, 15 May 2006 15:09luzr wrote on Sun, 14 May 2006 21:44The simplest way to print is to use Report. Simply, instead of sending your stuff to "Draw", you use Report (which implements Draw interface), just add some calls to perform pagination. Alternatively, use Qtf, which you can send to Report as well.

Mirek

I tried Report. Perhaps I do some mistake but doesn't seem so immediate. Let's neglect for the moment the pagination and let assume I've only one page to print. I tried the following code:

```
void VegaTab4::PrintCB()
{ Report r;
// r.Header("[A2> Page $$P");
r << "Round 1";
  r << "=====";
  r << " 1 = 4 Karpov, Igor      - 2 Karpov, Vadim      = 1 - 0";
  r << "-----";
  Print( r, 1, "Preview");
// Perform(r); //same format error
}
```

When I run it appear the print panel. Then I click print and I observe the result attached below (I've printed with a pdf driver and then get a screenshot).

So it seems Report try to interpret the strings in qtf terms. This means that my text file is processed as a qtf file while it has no format command and I want to send to the printer each character the file contains.

Before to obtain this error I believed I could get the entire text file and pass via << to r and then print it. But now seems I cannot avoid to save the file in qtf format. Am I right?

Anyway I think could be very useful to have a very direct way to communicate with a printer without any interference and control about font etc. With linux I could use a calling to system and print via 'lp', but with windows I would like to have the possibility to choose at least the printer.

Luigi

You can "avoid" qtf by calling DeQtf for texts you pass... That will add escape characters that will "quote" original text in Qtf.

```
void VegaTab4::PrintCB()
{ Report r;
// r.Header("[A2> Page $$P");
r << "Round 1";
  r <<
```

```
DeQtff("=====");
  r << DeQtff(" 1 = 4 Karpov, Igor      - 2 Karpov, Vadim      = 1 - 0");
  r << DeQtff("-----");
  Print( r, 1, "Preview");
// Perform(r); //same format error
}
```

Mirek

---