

---

Subject: Re: Ptr improve

Posted by [kohait00](#) on Thu, 19 May 2011 17:09:40 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

here is a proposal..

```
//shared pointer
//idea borrowed from boost shared_ptr, an additional chunk of memory is managed
//which centrally holds the refcount of that object pointed to
//if Shared is created freshly, it AtomicInc's the ref count to 1;
//if a Shared is destroyed it AtomicDec's the refcount, and if its 0,
// it will delete both, the object and the refcount chunk
//if another instance is created as copy, the refcount is taken and incremented.
//if it is assigned, it decrements own existing counter, possibly releasing mem, and retains new
//pick semantic is not needed here anymore, it not even is possible
//since an 'operator=(const Shared<>&)' is needed to aquire the source. pick is const in some
//cases as well)
//thus Shared is only Moveable, without deepcopyoption, which in fact would speak againts the
//idea of Shared anyway
//Attach / Detach remains

template <class T>
class Shared : Moveable< Shared<T> > {
    mutable T *ptr;
    Atomic    *rfc;

    void Retain() const { ASSERT(rfc); AtomicInc(*rfc); }
    void Release()   { ASSERT(rfc); if(AtomicDec(*rfc) == 0) { Free(); delete rfc; rfc = NULL; } }

    void    Free()           { if(ptr && ptr != (T*)1) delete ptr; }
    void    Chk() const      { ASSERT(ptr != (T*)1); }
    void    ChkP() const     { Chk(); ASSERT(ptr); }

public:
    void    Attach(T *data)   { Free(); ptr = data; }
    T     *Detach() pick_     { ChkP(); T *t = ptr; ptr = NULL; return t; }
    T     *operator-() pick_  { return Detach(); }
    void    Clear()          { Free(); ptr = NULL; }

    void    operator=(T *data) { Attach(data); }
    void    operator=(const Shared<T>& d){ Release(); ptr = d.ptr; rfc = d.rfc; Retain(); }
    void    operator=(pick_ One<T>& d) { Attach(d.Detach()); }

    const T *operator->() const { ChkP(); return ptr; }
    T     *operator->()         { ChkP(); return ptr; }
    const T *operator~() const  { Chk(); return ptr; }
    T     *operator~()          { Chk(); return ptr; }
```

```

const T& operator*() const { ChkP(); return *ptr; }
T& operator*() { ChkP(); return *ptr; }

template <class TT>
TT& Create() { TT *q = new TT; Attach(q); return *q; }
T& Create() { T *q = new T; Attach(q); return *q; }

bool IsEmpty() const { Chk(); return !ptr; }

operator bool() const { return ptr; }

Shared() { ptr = NULL; rfc = new Atomic(1); }
Shared(T *newt) { ptr = newt; rfc = new Atomic(1); }
Shared(const Shared<T>& p) { ptr = p.ptr; rfc = p.rfc; Retain(); }
~Shared() { Release(); }

Shared(pick_ One<T>& p) { ptr = p.Detach(); rfc = new Atomic(1); }
Shared(const One<T>& p, int) { ptr = DeepCopyNew(*p); rfc = new Atomic(1); }
};

i first thought deriving from One<> but it will have problems with pick semantics
so i decided to stay with a clean separated version, but it's 80% One<> code
i added a convenience pick semantic for One<>

```

it's open for discussion..

```

Shared<Size> Test(Shared<Size> s)
{
if(!s.IsEmpty())
RLOG(*s);
return s;
}

```

CONSOLE\_APP\_MAIN

```

{
Shared<Size> p;
{
Shared<Size> s;
```

```

s.Create();
*s = Size(123,456);
```

```

Shared<Size> q;
q = Test(s);
```

```

p = q;
```

```
}

if(!p.IsEmpty())
    RLOG(*p);
One<Size> os;

os.Create();
*os = Size(1,2);
p = os;
RLOG(*p);

os.Create();
*os = Size(3,4);
p = Shared<Size>(os);
RLOG(*p);
}
```

---