Subject: Re: Subdirectories in packages

Posted by dolik.rce on Thu, 02 Jun 2011 06:08:15 GMT

View Forum Message <> Reply to Message

Hello GaroRobe!

GaroRobe wrote on Thu, 02 June 2011 07:371. I can't import whole subtree of headers into package. More like I can, but all the hieracity "flattens" and, obviously, all cross-references between headers breaks.

Well, I'm not sure why it is designed like this, but I don't like it as well. It would be rather easy to implement this functionality, but so far I was always too lazy. I always ended up opening the *.upp file in text editor and copying in the list of all files, with the directories as necessary. In Linux, you can get such list easily using 'find' command line utility, on windows it might or might not be possible to get the file list using 'dir' or something (I don't remember any more...).

GaroRobe wrote on Thu, 02 June 2011 07:372. If I just copy whole include dir into my package dir and add each file (tiresome, yep) manually using "Insert package directory file(s)" (why can't I do it to dirs BTW?), it still doesn't solve my problem, because, somehow, all includes in these headers are invalid once again 'cause they do not include package name!

- - -

I really wouldn't like to correct each and every #include directive in opency code. Maybe there is a better way to fix it?

For clarity I attach package I made.

This can be solved at package level, by adding "internal include" in package organizer. Adding a name of directory will add it to include paths for the give package. The trick in this case is that you add just a single dot "." (meaning current directory). So it will search for the include files in your package dir, where the "core/core_c.h" file will be find

I will add the a request for structured import into the task tracker, I'm pretty sure someone will implement it soon (might even do it myself).

Hope this helped, Honza