## Subject: Re: [DISCUSSION] Add 'complex' datatype, to Value too Posted by kohait00 on Wed, 22 Jun 2011 11:12:16 GMT

View Forum Message <> Reply to Message

here comes a patch file for including complex as an additional basic datatype. thats why i have placed it in Defs.h, though it's 'math' related, but the other data types are math as well, right it contains the integration of it in Value as far as possible. but due to it beeing a class/struct and having ctor and operator=, it is not possible to use =Null / from-Value-conversion semantics. or at least i havent succeeded to do so. see my ComplexTest.

quick view, maybe anyone has an idea how to make this possible anyway..or leave it as issue.

NOTE: for successfull usage of std::complex (cdouble) in RichValue, the SetNull template usage change is needed. see my thread

http://www.ultimatepp.org/forum/index.php?t=msg&goto=325 14&#msg\_32514

attached is a complete patch for that.. (patch8)

```
//cdouble to value conversion test
Value v = RichToValue(y);
V = V;
//Value to cdouble conversion test
// x = v; //ambiguity in std::complex::operator=
x = v.operator cdouble(); //needs explicit call
#if flagMSC
//works for MSC, GCC has constructor amiguity
x = cdouble(v);
x = (cdouble)v;
#endif
// x = Null; //ambiguity in std::complex::operator=
x = Null.operator cdouble(); //needs explicit call
#if flagMSC
//works for MSC, GCC has constructor amiguity
x = cdouble(Null);
x = (cdouble)Null;
#endif
EDIT:
Topt.h:227
+NTL MOVEABLE(cdouble);
```

## File Attachments

- 1) patchcomplex.patch, downloaded 549 times
- 2) ComplexTest.rar, downloaded 254 times
- 3) patch8.patch, downloaded 279 times