

---

Subject: Re: umk got changed....

Posted by [nixnixnix](#) on Tue, 13 Dec 2011 01:07:29 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

Hi Honza,

If you could replace the ":" with ";" to make umk windows compatible the only problem then the fact that umk.exe does not recognise the output path.

Two reasonably small problems?

Nick

```
CONSOLE_APP_MAIN
```

```
{
  Ide ide;
  TheIde(&ide);
  ide.console.SetSlots(CPU_Cores());
  ide.console.console = true;
  bool clset = false;
  const Vector<String>& arg = CommandLine();
  if(arg.GetCount() >= 3) {
    for(int i = 3; i < arg.GetCount(); i++)
      if(arg[i][0] == '-') {
        String x = arg[i];
        for(int i = 1; i < x.GetCount(); i++) {
          if(x[i] == 'l')
            SilentMode = true;
          if(x[i] == 'v')
            ide.console.verbosebuild = true;
        }
      }
  }
  String v = GetUmkFile(arg[0] + ".var");
  if(!FileExists(v)) {
    Vector<String> h = Split(arg[0], ';'); // this change makes it windows compatible ?
    for(int i = 0; i < h.GetCount(); i++)
      h[i] = GetFullPath(TrimBoth(h[i]));
    String x = Join(h, ";");
    SetVar("UPP", x, false);
    PutVerbose("Inline assembly: " + x);
    String outdir = ConfigFile("_out"); // this line makes the output path not work?
    RealizeDirectory(outdir);
    SetVar("OUTPUT", outdir, false);
  }
  else {
    if(!LoadVars(v)) {
      Puts("Invalid assembly\n");
    }
  }
}
```

```

SetExitCode(2);
return;
}
PutVerbose("Assembly file: " + v);
PutVerbose("Assembly: " + GetVar("UPP"));
}
PutVerbose("Output directory: " + GetVar("OUTPUT"));
v = SourcePath(arg[1], GetFileTitle(arg[1]) + ".upp");
PutVerbose("Main package: " + v);
if(!FileExists(v)) {
    Puts("Package does not exist\n");
    SetExitCode(2);
    return;
}
ide.main = arg[1];
ide.wspc.Scan(ide.main);
clset = true;
bool stoponerror = false;
const Workspace& wspc = ide.IdeWorkspace();
if(!wspc.GetCount()) {
    Puts("Empty assembly\n");
    SetExitCode(4);
    return;
}
const Array<Package::Config>& f = wspc.GetPackage(0).config;
if(f.GetCount())
    ide.mainconfigparam = f[0].param;
String m = arg[2];
String bp = GetBuildMethodPath(m);
PutVerbose("Build method: " + bp);
if(bp.GetCount() == 0) {
    SilentMode = false;
    Puts("Invalid build method\n");
    SetExitCode(3);
    return;
}
ide.method <<= m;
ide.debug.def.blitz = ide.release.def.blitz = 0;
ide.debug.def.debug = 2;
ide.release.def.debug = 0;
ide.debug.package.Clear();
ide.release.package.Clear();
ide.debug.linkmode = ide.release.linkmode = 0;
ide.release.createmap = ide.debug.createmap = false;
ide.targetmode = 0;
bool clean = false;
bool makefile = false;
int exporting = 0;

```

```

String mkf;
for(int i = 3; i < arg.GetCount(); i++)
if(arg[i][0] == '+' || arg[i][0] == '>')
    ide.mainconfigparam = Filter(~arg[i] + 1, CommaSpace);
else
if(arg[i][0] == '-') {
    String x = arg[i];
    for(int i = 1; i < x.GetCount(); i++)
        switch(x[i]) {
            case 'a':
                clean = true;
                break;
            case 'r':
                ide.targetmode = 1;
                break;
            case '1':
                ide.targetmode = 2;
                break;
            case '2':
                ide.targetmode = 3;
                break;
            case 'm':
                ide.release.createmap = ide.debug.createmap = true;
                break;
            case 'b':
                ide.release.def.blitz = ide.debug.def.blitz = 1;
                break;
            case 's':
                ide.debug.linkmode = ide.release.linkmode = 1;
                break;
            case 'd':
                ide.debug.def.debug = 0;
                break;
            case 'S':
                ide.debug.linkmode = ide.release.linkmode = 2;
                break;
            case 'e':
                stoponerror = true;
                break;
            case 'M':
                makefile = true;
                break;
            case 'v':
                ide.console.verbosebuild = true;
                break;
            case 'l':
                break;
            case 'x':

```

```

    exporting = 1;
    break;
case 'X':
    exporting = 2;
    break;
case 'H':
    if(i + 1 < x.GetCount() && x[i + 1] >= '1' && x[i + 1] <= '9')
        ide.console.SetSlots(x[++i] - '0');
    else
        ide.console.SetSlots(1);
    break;
default:
    SilentMode = false;
    Puts("Invalid build option(s)");
    SetExitCode(3);
    return;
}
}
else {
    ide.debug.target_override = ide.release.target_override = true;
    ide.debug.target = ide.release.target = mkf = arg[i];
}
if(clean)
    ide.Clean();
if(exporting) {
    mkf = GetFullPath(mkf);
    Cout() << mkf << "\n";
    RealizeDirectory(mkf);
    if(makefile)
        ide.ExportMakefile(mkf);
    else
        ide.ExportProject(mkf, exporting == 2);
}
else
    if(makefile) {
        ide.SaveMakeFile(IsNull(mkf) ? "Makefile" : mkf, false);
        SetExitCode(0);
    }
    else
        if(ide.Build())
            SetExitCode(0);
        else
            SetExitCode(1);
}
else
    Puts("Usage: umk assembly main_package build_method -options [+flags] [output]\n"
        "Examples: umk examples Bombs GCC -ab +GUI,SHARED ~/bombs\n"
        "          umk examples:uppsrc Bombs ~/GCC.bm -rv +GUI,SHARED ~/bin\n");

```

```
"See http://www.ultimatepp.org/appside\$umk\$en-us.html for details\n");  
}
```

---