

I'm using B605-dev1 under Windows XP.

There are some problems with Assist++. Please, look at the following code:

// code begins here

```
class demo_class;
void global_function();
int global_friend_function(demo_class x);

class demo_class
{
private:
    int static_static_private_data;
    int non_static_private_data;

    void static_static_private_class_function() {} // class function
    void non_static_private_member_function() {} // instance method

protected:
    int static_static_protected_data;
    int non_static_protected_data;

    void static_static_protected_class_function() {} // class function
    void non_static_protected_member_function() {} // instance method

public:
    int static_static_public_data;
    int non_static_public_data;

    demo_class() {} // constructor
    ~demo_class() {} // destructor
    void static_static_public_class_function() {} // class function
    void non_static_public_member_function() {} // instance method
    friend int global_friend_function(demo_class x);
};

void global_function() {}
int global_friend_function(demo_class x) {return x.non_static_private_data;}

// code ends here
```

Calling “Assist / Navigate in the file” yields the following wrong, missing, or misleading information:

First of all Assist++ lists all symbols twice, some of them even four times (compare below). Maybe this is partially the result of “- Assist++: Go to symbol is now case insensitive, listing full matches first and case insensitive matches next”. But in this case there should be an option to switch this feature off. In most cases it just inflates the listing.

Line 03:

Assist++ does not recognize the global friend function as friend although the respective class has been declared beforehand. Yes, I know – no definition so far! But please compare my comment about line 31.

Line 08:

Assist++ tells a wrong name: “static_public_class_function” instead of “static_private_data”. This wrong line is repeated.

Line 11:

Assist++ shows the data symbol instead of the code symbol and tells a wrong name: “static_public_class_function” instead of “static_private_class_function”. This wrong line is repeated.

Line 14:

Assist++ tells a wrong name: “static_public_class_function” instead of “static_protected_data”. This wrong line is repeated.

Line 17:

Assist++ shows the data symbol instead of the code symbol and tells a wrong name: “static_public_class_function” instead of “static_protected_class_function”. This wrong line is repeated.

Line 20:

Assist++ tells a wrong name: “static_public_class_function” instead of “static_public_data”. This wrong line is repeated.

Line 25:

Assist++ shows the data symbol instead of the code symbol. This wrong line is repeated.

Line 27:

Assist++ does not list the declaration of the global friend function at all.

Line 31:

Assist++ does not recognize the global friend function as friend, although it has already been declared as such.

Last but not least “The help / Assist++ / Graphical symbols used by Assist++” should be completed with the “{ }” symbol to tell apart declarations from definitions.

Werner
