
Subject: Re: Htmls / HtamlTag class and table generation

Posted by [forlano](#) on Mon, 19 Dec 2011 14:00:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

dolik.rce wrote on Sun, 18 December 2011 21:54

It seems messy, but when all the operation are performed in cycles and functions it is not that bad
The rule of thumb is that '+' adds tag on the same level and '/' places tag inside.

Best regards,
Honza

Hi Honza!

Thanks a lot, it is what I was looking for.

It is a bit messy but seems not so complicated and better looking that write "<TD>..." everywhere.
I vote to include the previous code snippet in the reference assembly. It's a pity to let it disappear in the forum.

Best wishes,
Luigi

```
#include <Core/Core.h>
#include <Web/Web.h>
```

```
using namespace Upp;
```

```
CONSOLE_APP_MAIN{
    Htmls html;
    html << HtmlTable().Width(200).Border(1) / (
        HtmlRow() / (
            HtmlTag("th") / "column 1"
            + HtmlTag("th") / "column 2"
        ) +
        HtmlRow() / (
            HtmlCell() / HtmlLink("http://ultimatepp.org") / "A1"
            + HtmlCell() / "A2"
        ) +
        HtmlRow() / (
            HtmlCell() / "B1"
            + HtmlCell() / Htmls("<i>some</i> <b>html</b> blob")
        )
    );
    SaveFile("page.html", html);
}
```