
Subject: Re: Access to S_* Structure of TABLE crash Application.

Posted by [sergeynikitin](#) on Thu, 17 May 2012 06:27:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

In some toolkit I can write like:

```
TABLE_(WORKER) PREFIX(wrk)
  INT_   (ID) PRIMARY_KEY
  STRING_ (NAME, 200)
  STRING_ (LASTNAME, 200)
  INT_   (PLANT_ID)
END_TABLE
```

```
TABLE_(PLANT) PREFIX(pla)
  INT_   (ID) PRIMARY_KEY
  STRING_ (NAME, 200)
  STRING_ (ADDRESS, 200)
END_TABLE
```

And then I can use simple pla.NAME and wrk.NAME (or pla::NAME and wrk::NAME, or pla_NAME and wrk_NAME).

Now I must do like:

```
TABLE_(WORKER)
  INT_   (wrk_ID) PRIMARY_KEY
  STRING_ (wrk_NAME, 200)
  STRING_ (wrk_LASTNAME, 200)
  INT_   (wrk_PLANT_ID)
END_TABLE
```

```
TABLE_(PLANT) PREFIX(pla)
  INT_   (pla_ID) PRIMARY_KEY
  STRING_ (pla_NAME, 200)
  STRING_ (pla_ADDRESS, 200)
END_TABLE
```