
Subject: Undeclared identifier

Posted by [nejnadusho](#) on Mon, 15 Oct 2012 03:49:34 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

I am working on simple layout app.

Currently the app has one layout with a button and two edit boxes and a bunch of labels.

Practically it is the logIn page for the app.

I am trying to create an onFocus event where one of the labels disappear when the user clicks on the box to enter its username.

You can see it on one f the uploaded pictures.

On a click event I calling a function where setting the content of the label empty string. However I keep getting the following error messages. the labels name is 'usernameBox'

main.cpp

C:\MyApps\SProject\main.cpp(16) : error C2065: 'usernameBox' : undeclared identifier

C:\MyApps\SProject\main.cpp(16) : error C3861: 'SetLabel': identifier not found

SProject: 1 file(s) built in (0:03.16), 3167 msec / file, duration = 3167 msec, parallelization 0%

There were errors. (0:03.27)

And here how my code looks like

.h file

```
#ifndef _SProject_SProject_h
```

```
#define _SProject_SProject_h
```

```
#include <CtrlLib/CtrlLib.h>
```

```
using namespace Upp;
```

```
#define LAYOUTFILE <SProject/SProject.lay>
```

```
#include <CtrlCore/lay.h>
```

```
class SProject : public WithSProjectLayout<TopWindow> {
```

```
public:
```

```
void HideBoxText();
```

```
typedef SProject CLASSNAME;
SProject();
};

#endif
```

.cpp file

```
#include "SProject.h"

SProject::SProject()
{
    CtrlLayout(*this, "Window title");
    Sizeable().Zoomable();

    logInButton <<= THISBACK(HideBoxText);
}
```

```
void HideBoxText(){
    usernameBox.SetLabel("");
}
```

```
GUI_APP_MAIN
{
    SProject().Run();
}
```

.lay file

```
LAYOUT(SProjectLayout, 704, 524)
ITEM(Button, logInButton,
SetLabel(t_("LogInButton\alogIn")).SetFont(StdFontZ(18).Bold().Italic()).SetFrame(FieldFrame()).
LeftPosZ(304, 104).TopPosZ(420, 32))
ITEM(EditField, LogInTxtBox,
MaxChars(18).SetFont(StdFontZ(14)).SetFrame(FieldFrame()).WantFocus(false).LeftPosZ(268,
168).TopPosZ(292, 28))
ITEM(Label, usernameBox, SetLabel(t_("\\"UsernameBoxLabel\auUsername
")).SetFont(StdFontZ(12).Italic()).LeftPosZ(268, 164).TopPosZ(296, 21))
```

```
Solution").SetFont(SansSerifZ(20).Bold()).LeftPosZ(192, 332).TopPosZ(104, 36))
ITEM(StaticText, dv____4,
SetText(t_("Welcome")).SetAlign(ALIGN_CENTER).SetFont(SansSerifZ(20).Bold()).LeftPosZ(184
, 332).TopPosZ(64, 19))
ITEM(StaticText, dv____5,
SetText(t_("to")).SetAlign(ALIGN_CENTER).SetFont(SansSerifZ(20).Bold()).LeftPosZ(332,
40).TopPosZ(84, 19))
ITEM(EditField, dv____6, SetFrame(FieldFrame()).WantFocus(false).LeftPosZ(268,
168).TopPosZ(324, 27))
ITEM(Label, passwordBox,
SetLabel(t_("Password")).SetFont(StdFontZ(12).Italic()).LeftPosZ(268, 125).TopPosZ(328, 21))
END_LAYOUT
```

Also how I set the name of the label you can see it in the

Any help will be greatly appreciated.

Thanks.

File Attachments

1) [layFile.jpg](#), downloaded 399 times
