
Subject: Re: Can I use Javascript frameworks with Skylark?

Posted by [lectus](#) on Sat, 15 Dec 2012 16:17:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi!

I think I detected some incompatibility between Skylark Witz and JQuery-Ui library.

Here's my index.witz:

```
<!doctype html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="utf-8" />
```

```
  <title>jQuery UI Button - Default functionality</title>
```

```
  <link rel="stylesheet" href="http://code.jquery.com/ui/1.9.2/themes/base/jquery-ui.css" />
```

```
  <script src="http://code.jquery.com/jquery-1.8.3.js"></script>
```

```
  <script src="http://code.jquery.com/ui/1.9.2/jquery-ui.js"></script>
```

```
  <link rel="stylesheet" href="/resources/demos/style.css" />
```

```
  <script>
```

```
    $(function() {
```

```
      $( "input[type=submit], a, button" )
```

```
        .button()
```

```
        .click(function( event ) {
```

```
          event.preventDefault();
```

```
        });
```

```
    });
```

```
  </script>
```

```
</head>
```

```
<body>
```

```
<button>A button element</button>
```

```
<input type="submit" value="A submit button" />
```

```
<a href="#">An anchor</a>
```

```
</body>
```

```
</html>
```

When I run my app and access this page I get:

Quote:Internal server error

(12,11): function nor link not found 'function'

I think it's because of the \$ character. Is there any way to escape it for JS code? Skylark is

probably seeking for something like \$for.
