
Subject: Re: Spin + Text

Posted by [Sender Ghost](#) on Mon, 06 May 2013 23:21:46 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello, Jerson.

jerson wrote on Mon, 06 May 2013 14:56I am looking to make a combination of a widget that houses a label with spin buttons. The intention is to use the spin buttons to change the text displayed in the widget from an array of texts

I created following example, based on SpinButtons and EditString classes, which may solve what you looking for:

Toggle Spoiler

```
#include <CtrlLib/CtrlLib.h>

using namespace Upp;

class EditStringSpin : public EditString {
protected:
    Vector<String> data;
    int index;
public:
    typedef EditStringSpin CLASSNAME;
    EditStringSpin();
    SpinButtons sb;

    void ShowData()    { index >= 0 ? SetText(data[index]) : SetText(String()); }
    void Inc();
    void Dec();
    void SetIndex(int i);
    int GetIndex() const { return index; }
    void GoBegin()    { SetIndex(0); }
    void GoEnd()      { SetIndex(data.GetCount() - 1); }

    virtual bool Key(dword key, int count);
    virtual void MouseWheel(Point p, int zdelta, dword keyflags);

    void SetValue(int i, const String& v);
    void SetValue(const String& v);
    String GetValue(int i) const;
    String GetValue() const;
    const Vector<String>& GetValues() const          { return data; }
    int GetCount() const                            { return data.GetCount(); }
    EditStringSpin& Add(const String& v)           { data.Add(v); return *this; }
    EditStringSpin& Add(const Vector<String>& v)   { data.Append(v); return *this; }
    void Clear()                                  { index = -1; data.Clear(); ShowData(); }
};


```

```

EditStringSpin::EditStringSpin() : index(-1)
{
    sb.inc.WhenRepeat = sb.inc.WhenAction = THISBACK(Inc);
    sb.dec.WhenRepeat = sb.dec.WhenAction = THISBACK(Dec);
    AddFrame(sb);
}

void EditStringSpin::Inc()
{
    const int count = data.GetCount() - 1;
    if (++index > count)
        index = count;

    ShowData();
}

void EditStringSpin::Dec()
{
    if (data.GetCount() && --index < 0)
        index = 0;

    ShowData();
}

void EditStringSpin::SetIndex(int i)
{
    if (index == i)
        return;

    const int count = data.GetCount() - 1;

    if (i < 0)
        index = -1;
    else
        if (i > count)
            index = count;
        else
            index = i;

    ShowData();
}

bool EditStringSpin::Key(dword key, int count)
{
    switch (key) {
    case K_UP:
        Inc(); return true;
    case K_DOWN:

```

```

Dec(); return true;
default:
    return EditString::Key(key, count);
}
}

void EditStringSpin::MouseWheel(Point p, int zdelta, dword keyflags)
{
    zdelta > 0 ? Inc() : Dec();
}

void EditStringSpin::SetValue(int i, const String& v)
{
    ASSERT(i >= 0 && i < data.GetCount());
    data[i] = v;
    if (index == i)
        ShowData();
}

void EditStringSpin::SetValue(const String& v)
{
    if (index < 0)
        return;
    data[index] = v;
    ShowData();
}

String EditStringSpin::GetValue(int i) const
{
    ASSERT(i >= 0 && i < data.GetCount());
    return data[i];
}

String EditStringSpin::GetValue() const
{
    if (index < 0)
        return String::GetVoid();

    return data[index];
}

class App : public TopWindow {
public:
    typedef App CLASSNAME;
    App();
    // CtrlS
    EditStringSpin edit;
    Button btnFill, btnClear;
}

```

```

// Events
void OnClear();
void OnFill();
};

App::App()
{
Title("EditStringSpin example");
const Size sz(240, 180);
SetRect(sz); SetMinSize(sz);

edit.SetReadOnly();
OnFill();

btnFill.SetLabel("Fill") <=> THISBACK(OnFill);
btnClear.SetLabel("Clear") <=> THISBACK(OnClear);

Add(edit.LeftPosZ(4, 100).TopPosZ(4, 20));
Add(btnFill.LeftPosZ(4, 48).TopPosZ(28, 20));
Add(btnClear.LeftPosZ(56, 48).TopPosZ(28, 20));
}

void App::OnClear()
{
edit.Clear();
}

void App::OnFill()
{
OnClear();

for (int i = 0; i < 10; ++i)
edit.Add(NFormat("Data #%d", i + 1));

edit.GoBegin();
}

GUI_APP_MAIN
{
Ctrl::GlobalBackPaint();

App app;
app.Run();
}

```

Where instead of EditString you might use StaticText or Label with NolgnoreMouse(); and

`SetFrame(FieldFrame());` into constructor, but they will look a bit differently, than other `Edit*Spin` widgets.

Edit: Added `GetValue` methods. Changed some checks to ASSERT.

File Attachments

1) [EditStringSpin.png](#), downloaded 537 times
