
Subject: [SOLVED] TcpSocket Connect error
Posted by [steffen](#) on Tue, 11 Mar 2014 11:35:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

Newest uppsrc revision 7033.

Here on my Ubuntu 12.04 workstation I see a problem with TcpSocket.Connect, it always returns true, even if no server is listening at the other end:

```
TcpSocket client_socket;
client_socket.Timeout(5000);
if (client_socket.Connect("127.0.0.1", 12345)) // Connect to non existing server
{
    LOG("ERROR, Connect returned true");
}
else
{
    LOG("Correct, The connection could not be established");
}
```

The doc mentions the operation is blocking, but it is not. It does not say anything about the return value, I just assume it would be true on success.

It works if I comment the O_NONBLOCK from Socket.cpp->TcpSocket::SetupSocket(), like this:
if(fcntl(socket, F_SETFL, (fcntl(socket, F_GETFL, 0)/* | O_NONBLOCK*/))) {
I discovered this while trying to connect to a slow server and the not so reader friendly
TcpSocket::RawConnect function passed on the SOCKERR(EINPROGRESS) check. No matter if
a connection was established or not.

I don't have the in depth knowledge on the upp code base, to say if removing the O_NONBLOCK
will cause undesired problems in other places.
