
Subject: Re: Pop3 class and reference examples for U++

Posted by [Oblivion](#) on Wed, 09 Apr 2014 23:24:58 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hello Mirek,

I've noticed that you refactored the INetMessage and SMTP classes. When I looked into the code of Smtp class I noticed that the quoted-printable encoding was hard coded into the class. So I took the opportunity to improvise on the existing codebase. While I did not touch the Smtp class, but I wrote a generic QPEncode() function to accompany the existing QPDecode() function.

There seem to be two problems with the current QP encoding of Smtp (if I am not missing anything, or got something totally wrong :):

- 1) It violates the maxlen (should be <= 76 chars) of quoted-printable text (RFC 1521, rule 5).
- 2) It does not encode horizontal tab (=09) or space (=20) at the EOL, just before the CRLF (it should). (This statement is wrong, it turns out that I misread the code, it was only implicit. :blush:)

So, I created the function and patched accordingly the source files (inet.h, inet.cpp) and the documentation (inet\$en-us.tpp)

I tested it with a lot of strings, but as usual, it always needs to be tested more. Please find enclosed the patched files.

As usual, I would be grateful if you could please review it.

EDIT: Fixed misinformation.

Regards.

File Attachments

- 1) [QPEncode_Patch.tar.gz](#), downloaded 324 times
