

---

Subject: Re: Skylark functions/links

Posted by [mirek](#) on Mon, 14 Apr 2014 18:16:13 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

mingodad wrote on Mon, 14 April 2014 16:49 Thanks for the link !

I've created this function:

```
Value WitzUrlEncode(const Vector<Value>& arg, const Renderer *) {
  if(arg.GetCount() != 1 || !IsString(arg[0]))
    return String();
  StringBuffer buf;
  UrlEncode(buf, String(arg[0]));
  return Value(buf.Begin());
}
```

```
INITBLOCK {
  Compiler::Register("url_encode", WitzUrlEncode);
}
```

But I get two kind of errors (\$rec.name has valid content) :

```
-----
$url_encode($rec.name) >>> Internal server error (206,12): missing number
-----
```

or

```
-----
$url_encode(rec.name) >>> *****PANIC: Invalid memory access! Segmentation fault (core
dumped)
-----
```

Probably a bug in U++ !!!

Attached sample to test!

Well, this is nice one...

What happened here is that you have probably seen

UrlEncode(StringBuffer& b, const char \*s) signature in Skylark - but that is local function (my fault, should have made it static).

What got called instead was

```
UrlEncode(const char *begin, const char *end);
```

(from Core/Inet.h)

which, having begin and end pointing to unrelated things, obviously crashed.

This works:

```
Value WitzUrlEncode(const Vector<Value>& arg, const Renderer *) {  
    return arg.GetCount() == 1 && IsString(arg[0]) ? UrlEncode(arg[0]) : String();  
}
```

```
INITBLOCK {  
    Compiler::Register("url_encode", WitzUrlEncode);  
}
```

---